



TP-Link TL-MR3420 wireless router Fast Ethernet Single-band (2.4 GHz) Zwart, Wit

Merk : TP-Link

Artikelcode: TL-MR3420


Productnaam : TL-MR3420

TP-Link TL-MR3420. WAN connection type: RJ-45. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100 Mbit/s, Netwerkstandaard: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Firewall: NAT, SPI. Producttype: Router om neer te zetten, Kleur van het product: Zwart, Wit




WAN connection		Inhoud van de verpakking	
Ethernet WAN *	✓	Meegeleverde kabels	LAN (RJ-45)
DSL WAN *	✗	Inclusief AC-adapter	✓
SIM-kaartsleuf *	✗	Antenne inbegrepen	✓
3G/4G USB modem compatibiliteit *	✓	Snelle installatiehandleiding	✓
Type WAN-aansluiting	RJ-45	Sustainability	
Draadloos LAN		Naleving van duurzaamheid	✓
Wifi-band *	Single-band (2.4 GHz)	Antenne	
Wifi-standaard *	Wi-Fi 4 (802.11n)	Antenne-ontwerp *	Extern
WLAN gegevensoverdrachtsnelheid (max) *	300 Mbit/s	Aansluiting antenne	RP-SMA
Wi-Fi-standaarden	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Antenne versterkingsniveau (max)	5 dBi
Modulatie	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Antennas quantity	2
Netwerk		Type antennerichting	Omni-directioneel
Ethernet LAN *	✓	Zendvermogen	20 dBmW
Interfacetype Ethernet LAN *	Fast Ethernet	Kenmerken	
Ethernet LAN, data-overdrachtsnelheden	10,100 Mbit/s	Upgraden van firmware mogelijk	✓
Netwerkstandaard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u	Energie	
Auto MDI/MDI-X	✓	Type stroombron *	Sector
Gevoeligheid ontvanger	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER	Spanning	12 V
Poorten & interfaces		Output current	1 A
Aantal Ethernet LAN (RJ-45)-poorten *	4	Eisen aan de omgeving	
USB-poort *	✓	Temperatuur, in bedrijf	0 - 40 °C
Aantal USB 2.0-poorten	1	Temperatuur bij opslag	-40 - 70 °C
Aansluiting voor netstroomadapter	✓	Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
		Luchtvochtigheid bij opslag	5 - 95 procent

Beheerfuncties		Minimale systeemeisen	
Web-gebaseerd management	✓		
WPS Push Button Security	✓		
Beveiliging			
Firewall	✓		
Firewall	NAT, SPI		
DDoS-bescherming	✓		
Filtratie	✓		
MAC adres filtering	✓		
IP-adresfilter	✓		
URL- filtering	✓		
Design			
Kleur van het product	Zwart, Wit		
Aan/uitschakelaar	✓		
Producttype *	Router om neer te zetten	Ondersteunt Windows	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
		Ondersteunt Linux	✓
		Ondersteunt Mac-besturingssysteem	✓
		Gewicht en omvang	
		Breedte	204 mm
		Diepte	138 mm
		Hoogte	44 mm
		Verpakking	
		Breedte van de verpakking	315 mm
		Diepte van de doos	240 mm
		Hoogte van de verpakking	70 mm
		Gewicht pakket	620 g
		Logistics data	
		Code geharmoniseerd systeem (HS)	85176990
		Technische details	
		Certificaten van naleving	RoHS, Federal Communications Commission (FCC), CE



6935364051495



0854587033407



854587033407

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.