



Brother HL-L2350DW laser printer 2400 x 600 DPI A4 Wi-Fi

Merk : Brother

Artikelcode: HL-L2350DW

Productnaam : HL-L2350DW

- Afdruksnelheid tot 30 ppm
 - LCD scherm 1 regel van 16 tekens
 - Netwerkklaar (draadloos), USB 2.0 Hi-speed
 - iPrint&Scan, Wi-Fi Direct, Airprint, Mopria™ Print Service, Android Print Service Plugin
 - Papierlade voor 250 vel, Handmatige papierinvoer voor 1 vel
 - Geleverd met toner (circa 700 pagina's)
- Compacte zwart-witlaserprinter met dubbelzijdig printen en draadloze netwerkverbinding



Brother HL-L2350DW laser printer 2400 x 600 DPI A4 Wi-Fi:

De HL-L2350DW is stil, snel, compact en speciaal ontworpen voor thuis of kleine kantoren. Het compacte design zorgt ervoor dat deze printer past op plekken waar weinig ruimte beschikbaar is.

Dankzij de hoge printsnelheden hoeft u nooit lang te wachten op uw afdruk en het lage geluidsniveau zorgt ervoor dat u niet onnodig wordt gestoord tijdens uw werkzaamheden. De grote papierlade heeft als voordeel dat u niet steeds papier hoeft aan te vullen.



Printsnelheid		Netwerk	
Kleur *	✘	Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK
Printtechnologie *	Laser		ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print)
Duplex printen *	✔	Ondersteunde netwerk protocollen (IPv4)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)
Maximale resolutie *	2400 x 600 DPI	Ondersteunde netwerk protocollen (IPv6)	Apple AirPrint, Google Cloud Print, Mopria Print Service
Printsnelheid (zwart, standaardkwaliteit, A4/US Letter) *	30 ppm		
Printsnelheid dubbelzijdig (Zwart, normale kwaliteit, A4/US Letter)	7,5 ppm		
Opwarmtijd	26 s		
Opwarmtijd (vanuit slaapmodus)	17,5 s		
Tijdsduur tot de eerste pagina (zwart, normaal)	8,5 s		
Kenmerken		Prestatie	
Aanbevolen gebruiksindicatie	250 - 2000 pagina's per maand	Type processor	✔
Aantal printcartridges *	1	Frequentie van processor	600 MHz
Paginabeschrijving talen *	GDI	Geluidsdrukkniveau (afdrukken)	48 dB
		Geluidsniveau (wachtend op taak)	6,56 dB
Input & output capacity		Design	
Totaal aantal invoerladen *	1	Markt positionering *	Thuis & kantoor
Totale invoercapaciteit *	250 vel	Kleur van het product *	Grijs
Totale uitvoercapaciteit *	150 vel	Ingebouwd display *	✔
Type invoer papier	Papierlade	Beeldscherm	LCD
		Tekstregels	1 regels
Papier			
Maximale ISO A-series papierformaat *	A4		
Papierlade mediatypen *	verbinding-papier, Enveloppen, Labels, Normaal papier, Gerecycled papier, Dik papier, Dun papier		
ISO A-series afmetingen (A0...A9) *	A4, A5, A6		
Non-ISO print papierafmetingen	Executive, Letter		

Papier		Energie	
Afmetingen enveloppen	10, C5, DL, Monarch	Gemiddeld stroomverbruik tijdens printen *	460 W
Aangepaste mediabreedte	76,2 - 215,9 mm	Stroomverbruik (in standby)	48 W
Aangepaste medialengte	127 - 355,6 mm	Stroomverbruik (PowerSave)	3,9 W
Papierlade mediagewicht	60 - 230 g/m ²	Stroomverbruik (indien uit)	0,5 W
Mediagewicht, automatische doorvoer	60 - 163 g/m ²	Energy Star Typical Electricity Consumption (TEC)	1,18 kWh/week
Ondersteund mediagewicht, duplex printen (aanbevolen gr/m ²)	60 - 105 g/m ²	Minimale systeemeisen	
Poorten & interfaces		Ondersteunt Windows	Windows 10, Windows 7, Windows 8, Windows 8.1
Standaard interfaces	USB 2.0, Draadloze LAN	Ondersteunt Mac-besturingssysteem	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Direct printen *	✓	Ondersteunde server operating systems	Windows Server 2008, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
USB-poort *	✓	Sustainability	
Aantal USB 2.0-poorten	1	Duurzaamheidscertificaten	ENERGY STAR
Netwerk		Gewicht en omvang	
Wi-Fi *	✓	Breedte	356 mm
Wi-Fi Direct	✓	Diepte	360 mm
Wi-Fi-standaarden	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Hoogte	183 mm
		Gewicht	7,2 kg
		Inhoud van de verpakking	
		Meegeleverde software	Windows: Printer Drivers, Status Monitor, BRAdmin Light, Driver Deployment Wizard Mac: (Download above software for Mac from Brother Solutions Centre)
		Logistics data	
		Code geharmoniseerd systeem (HS)	84433210



4977766782524



4977766783286



0012502649649



012502649649

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.