



TP-Link Omada EAP225-Outdoor 1200 Mbit/s Wit Power over Ethernet (PoE)

Merk : TP-Link

Productfamilie: Omada

Artikelcode: EAP225-OUTDOOR


Productnaam : EAP225-Outdoor

TP-Link Omada EAP225-Outdoor. 2.4 GHz, 5 GHz, Maximum data transfer rate: 1200 Mbit/s. Ondersteunde beveiligingsalgoritmen: 802.1x RADIUS. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Kleur van het product: Wit




Kenmerken		Energie	
2,4 GHz *	✓	Typisch stroomverbruik	10,5 W
5 GHz *	✓	Design	
6 GHz *	✗	Plaatsing *	Paal, Muur
Maximale overdrachtssnelheid van gegevens *	1200 Mbit/s	Kleur van het product *	Wit
Maximale overdrachtssnelheid van gegevens (2.4 GHz)	300 Mbit/s	Internationale veiligheidscode (IP)	IP65
Maximale overdrachtssnelheid van gegevens (5 GHz)	867 Mbit/s	Reset button	✓
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Antenne	
Frequentieband	2.4 - 5 GHz	Soort antenne *	Extern
Netwerkstandaard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3u	Type antennerichting	Omni-directioneel
MIMO	✓	Antennefuncties	Afneembare antenne
MIMO-type	Multi User MIMO	Antennas quantity	2
Wifi Multimedia (WMM)/(WME)	✓	Antenne versterkingsniveau (max)	4 dBi
VLAN=ondersteuning	✓	Prestatie	
Virtuele LAN-functies	VLAN mapping	Compatibele besturingssystemen	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows11, Linux
Rate limiting	✓	Certificaten	
Bandbreedteaansturing	✓	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Airtime Fairness (ATF)	✓	Gewicht en omvang	
Quality of Service (QoS)	✓	Breedte	215 mm
BeamForming	✓	Diepte	46 mm
Zendvermogen (CE)	27 dBm	Hoogte	27 mm
Zendvermogen (FCC)	22 dBm	Verpakking	
Beveiliging		Breedte van de verpakking	140 mm
Ondersteunde beveiligingsalgoritmen *	802.1x RADIUS	Diepte van de doos	270 mm
MAC adres filtering	✓	Hoogte van de verpakking	100 mm
Service Set Identifier (SSID) functies	Multiple SSIDs	Gewicht pakket	640 g
Aantal SSID-ondersteuningen	16	Inhoud van de verpakking	
		Aantal per verpakking	1 stuk(s)

Beveiliging		Inhoud van de verpakking	
Access Control List (ACL)	✓	Inclusief AC-adapter	✓
Beheerfuncties		Montage gereedschap	✓
Web-gebaseerd management	✓	Snelstartgids	✓
Syslog	✓	Eisen aan de omgeving	
Poorten & interfaces		Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Aantal Ethernet LAN (RJ-45)-poorten *	1	Temperatuur, in bedrijf	-30 - 70 °C
Energie		Temperatuur bij opslag	-40 - 70 °C
Power over Ethernet (PoE) *	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Type Power over Ethernet (PoE) ondersteunt	Passive PoE	Sustainability	
Spanning	24 V	Naleving van duurzaamheid	✓
		Logistics data	
		Code geharmoniseerd systeem (HS) 85176990	



6935364083571



0845973083571



845973083571

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.