

TP-Link Tapo C210 Dome IP-beveiligingscamera Binnen 1920 x 1080 Pixels Plafond/bureau

Merk : TP-Link Productfamilie: Tapo Artikelcode: TAPO C210

Productnaam: C210

TP-Link Tapo C210. Soort: IP-beveiligingscamera, Ondersteuning voor plaatsing: Binnen, Connectiviteitstechnologie: Draadloos. Montagewijze: Plafond/bureau, Kleur van het product: Wit, Form factor: Dome. Angle of rotation: 360° , Hoek schuine stand: $0 - 114^\circ$, Pan bereik: $0 - 360^\circ$. Omvang optische sensor: 25.4 / 2.9 mm (1 / 2.9"). Vaste focale lengte: 4 mm



Performance		Network	
Type * Placement supported * Connectivity technology * Certification	IP security camera Indoor Wireless FCC, IC, CE, NCC	Networking standards Wi-Fi * Wi-Fi standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n ✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Design		Bluetooth *	X
Form factor * Mounting type * Product colour * LED indicators	Dome Ceiling/Desk White System	Storage Built-in HDD * Compatible memory cards	X MicroSD (TransFlash)
Camera	•	Ports & interfaces	
Angle of rotation Tilt angle range Pan range	360° 0 - 114° 0 - 360°	DC-in jack Security Security algorithms	✓ WPA, WPA2-PSK
Image sensor		Power	
Number of sensors Optical sensor size	1 25.4 / 2.9 mm (1 / 2.9")	Power source type * AC input voltage	AC, DC 100 - 240 V 50 - 60 Hz
Lens system Number of lenses * Fixed focal length	1 4 mm	AC input frequency Power consumption DC output voltage DC output current	300 mA 9 0.6 A
Night vision		Operational conditions	
Night vision * Night vision distance LED type Infra-red wavelength	✓9.144 mIR850 nm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90%
Video		Weight & dimensions	
Maximum resolution * Total megapixels * Video formats supported	1920 x 1080 pixels 3 MP H.264	Width Depth Height	86.6 mm 85 mm 117.7 mm
Video compression formats Supported graphics resolutions	H.264 1920 x 1080 (HD 1080)	Packaging data	
Supported video modes Frame rate	1080p 15 fps	Package width Package depth Package height	150 mm 180 mm 110 mm
Audio		Package weight	430 g
Built-in speaker(s)	✓	Packaging content	
Audio system Built-in microphone	2-way ✓	Number of cameras *	1

Network		Packaging content	
Ethernet LAN *	×	Mounting kit	1
		Manual	✓
		Logistics data	
		Harmonized System (HS) code	85258900





4897098682753

4897098682777

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.