



ICY BOX IB-DK2102-C Bedraad USB 3.2 Gen 1 (3.1 Gen 1) Type-C Antraciet, Zwart

Merk : ICY BOX

Artikelcode: 60389

Productnaam : IB-DK2102-C



ICY BOX IB-DK2102-C. Connectiviteitstechnologie: Bedraad, Hostinterface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Kleur van het product: Antraciet, Zwart, Compatibele geheugenkaarten: MicroSD (TransFlash), SD, Overdrachtssnelheid: 5 Gbit/s. Type stroombron: USB, Spanning: 5 V, Output current: 1,5 A. Ondersteunt Windows: Windows 10

Poorten & interfaces		Prestatie	
Connectiviteitstechnologie *	Bedraad	Land van herkomst	China
Hostinterface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Energie	
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	3	Type stroombron	USB
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type C	1	Spanning	5 V
USB Power Delivery	✓	Output current	1,5 A
USB Power Delivery tot max.	100 W	Software	
Aantal HDMI-poorten *	1	Ondersteunt Windows	Windows 10
VGA (D-Sub)poort(en)	1	Ondersteunt Mac-besturingssysteem	✓
Mini DisplayPort kwantiteit	1	Gewicht en omvang	
Microfoon, line-in ingang *	✗	Breedte	280 mm
Combo koptelefoon/microfoon port	✓	Diepte	80 mm
Hoofdtelefoonuitgangen *	1	Hoogte	18 mm
Type aansluitplug	3,5 mm	Gewicht	250 g
Netwerk		Verpakking	
Ethernet LAN *	✓	Aantal per verpakking	1 stuk(s)
Aantal Ethernet LAN (RJ-45)-poorten	1	Breedte van de verpakking	130 mm
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Diepte van de doos	25 mm
Prestatie		Hoogte van de verpakking	340 mm
Geïntegreerde geheugenkaartlezer *	✓	Gewicht pakket	370 g
Compatibele geheugenkaarten	MicroSD (TransFlash), SD	Inhoud van de verpakking	
Overdrachtssnelheid	5 Gbit/s	Gebruikershandleiding	✓
HD type	4K Ultra HD	Logistics data	
Resolutie (maximum digitaal)	3840 x 2160 Pixels	Hoeveelheid per (buitenste) hoofdverpakking	20 stuk(s)
Resolutie (maximum analoog)	1920 x 1200 Pixels	Breedte van de omdoos	280 mm
Aantal displays ondersteund	3	(Buitenste) hoofdverpakking lengte	420 mm
Kleur van het product *	Antraciet, Zwart	Hoogte van de omdoos	300 mm
LED-indicatoren	✓	(Buitenste) hoofdverpakking brutogewicht	8,5 kg
UASP-ondersteuning	✓	Code geharmoniseerd systeem (HS)	84733020
Rubberen voetjes	✓	Overige specificaties	
Materiaal behuizing	Aluminium, Plastic	Lengte snoer	0,15 m
		Chipset	VL100, VL812, RLT8153, STDP4320



4250078167129

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-OCT-2024. Prints or copies of Information are only valid on the printed Publication date