

Zyxel GS1900-24E-EU0103F netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) 1U Zwart

Merk : Zyxel

Artikelcode: GS1900-24E-EU0103F


Productnaam : GS1900-24E-EU0103F

Zyxel GS1900-24E-EU0103F. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 48 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE.... Power connector: AC-in-aansluiting. Ophangstelsysteem voor aan de muur, Rack-montage, Form factor: 1U



Beheerfuncties		Design	
Switch type *	Managed	Vormfactor	1U
Switch-laag	L2	Kleur van het product	Zwart
Quality of Service (QoS)	✓	Reset button	✓
Web-gebaseerd management	✓	LED-indicatoren	✓
System event log	✓	Ophangstelsysteem voor aan de muur	✓
MIB-ondersteuning	RFC 1213 MIB II, RFC 2819 RMON (group 1, 2, 3, 9), RFC 1215 generic traps, RFC 1493 bridge, Zyxel private common MIB	Prestatie	
		Mean time between failures (MTBF)	804,714 uur
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Stroombron *	Sector
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogenstoevoer inclusief *	✓
Netstekker	AC-in-aansluiting	AC invoer voltage	100 - 240 V
		AC invoer frequentie	50 - 60 Hz
		Vermogensverbruik (max)	15,1 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✗
10G support *	✗	Eisen aan de omgeving	
Port mirroring	✓	Temperatuur, in bedrijf	0 - 50 °C
Full duplex	✓	Temperatuur bij opslag	-40 - 70 °C
Datastroombeheer	✓	Relatieve luchtvochtigheid, in bedrijf	10 - 95 procent
Verbindingsaggregatie	✓	Luchtvochtigheid bij opslag	10 - 95 procent
Spanning tree protocol	✓	Warmte-dissipatie	51,49 BTU/h
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Gewicht en omvang	
MAC-adres zelflerende functie	✓	Breedte	267 mm
VLAN-ondersteuning	✓	Diepte	162 mm
Virtuele LAN-functies	Stacked VLAN, VLAN mapping	Hoogte	42 mm
		Gewicht	1,56 kg
Data-uitwisseling		Inhoud van de verpakking	
Switchingcapaciteit *	48 Gbit/s	Meegeleverde kabels	Sector
		Rekbevestigingspakket	✓

Data-uitwisseling		Verpakking	
Verzending snelheid	35,7 Mpps	Verpakkingstype	Pak
MAC-adrestabel *	8000 entries	Breedte van de verpakking	325 mm
Store-and-forward	✓	Diepte van de doos	223 mm
Jumbo Frames ondersteuning	✓	Hoogte van de verpakking	71 mm
Jumbo frames	9000	Gewicht pakket	2,05 kg
Packet buffergeheugen	0,525 MB	Certificaten	
Beveiliging		Certificering	EMC ■ CE, FCC, C-Tick, Class A (GS1900-24/24EP/24HPv2/48/48HPv2) ■ CE, FCC, C-Tick, Class B (GS1900-8/8HP/10HP/16/24E) ■ BSMI CNS13438 • Safety ■ LVD EN60950-1 ■ BSMI CNS14336-1 ■ CB IEC60950-1 (GS1900-8HP/10HP/16/24E/24) • RoHS compliant
DHCP-functies	DHCP client		
IGMP snooping	✓		
Ondersteunde beveiligingsalgoritmen	802.1x RADIUS		
MAC adres filtering	✓		
Statische poort beveiliging	✓		
SSH/SSL support	✓		
Wachtwoordbeveiliging	✓		
Authenticatie type	RADIUS, TACACS+		
Design		Logistics data	
Rack-montage *	✓	Code geharmoniseerd systeem (HS) 85176990	
Stapelbaar *	✓		



4718937621132

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-OCT-2024. Prints or copies of Information are only valid on the printed Publication date