



APC BX950MI-GR UPS Line-interactive 0,95 kVA 520 W 4 AC-uitgang(en)

Merk : APC

Artikelcode: BX950MI-GR

Productnaam : APC Back-UPS BX950MI-GR
Noodstroomvoeding 950VA 4x stopcontact, USB

APC Back-UPS BX950MI-GR Noodstroomvoeding 950VA 4x stopcontact, USB
APC BX950MI-GR. UPS-topologie: Line-interactive, Output power capacity (VA): 0,95 kVA, Uitgangsvermogen: 520 W. AC outlet types: Type F, Stekker: Type F, Aantal AC uitgangen: 4 AC-uitgang(en). Energie-opslagtechnologie accu/batterij: Sealed Lead Acid (VRLA), Typische backup tijd op volledige lading: 1 min, Typische backup tijd op halve lading: 6,5 min. Form factor: Compact, Kleur van het product: Zwart, Lengte snoer: 1,2 m. Breedte: 120 mm, Diepte: 355 mm, Hoogte: 160 mm



Kenmerken		Accu/Batterij	
UPS-topologie *	Line-interactive	Typische backup tijd op volledige lading	1 min
Output power capacity (VA) *	0,95 kVA	Typische backup tijd op halve lading	6,5 min
Uitgangsvermogen *	520 W	Acculevensduur (max)	2 jaar
Golfvorm *	Sinus	Accu/Batterij oplaadtijd	8 uur
Ingang operation voltage (min) *	140 V	Design	
Ingang operation voltage (max) *	300 V	Vormfactor *	Compact
Frequentie *	50/60 Hz	Lengte snoer	1,2 m
Uitgang operation voltage (min)	230 V	Kleur van het product *	Zwart
Uitgang operation voltage (max)	230 V	LED-indicatoren	✓
Output frequentie	50/60 Hz	Internationale veiligheidscode (IP)	IP20
Uitgangsfrequentieregeling	0.5 Hz	Certificering	CB Meet EN62040-1 / CE / IEC-62040-1 / IEC-62040-2
Uitgangsspanningsregeling	10 procent	Eisen aan de omgeving	
Automatic Voltage Regulation (AVR) ✓		Temperatuur, in bedrijf	0 - 40 °C
Surge energy rating	273 J	Temperatuur bij opslag	-15 - 40 °C
Responstijd	6 ms	Relatieve luchtvochtigheid, in bedrijf	0 - 95 procent
Input vermogensfactor	0,54	Hoogte, in bedrijf	0 - 3000 m
Geluidsniveau	40 dB	Technische details	
Spanningsbeveiliging ✓		Certificaten van naleving	RoHS
Geluidsalarm ✓		Gewicht en omvang	
Hoerbare alarmstanden	Alarm bij laag batterijniveau	Breedte	120 mm
Poorten & interfaces		Diepte	355 mm
Stopcontacttypes	Type F	Hoogte	160 mm
Stekker	Type F	Gewicht	6,1 kg
Aantal AC uitgangen	4 AC-uitgang(en)	Breedte van de verpakking	197 mm
USB-poort ✓		Diepte van de doos	430 mm
Aantal USB 2.0-poorten	1		
USB-poorttype	USB Type-B		
Aantal Ethernet LAN (RJ-45)-poorten	2		

Accu/Batterij

Energie-opslagtechnologie
accu/batterij Sealed Lead Acid (VRLA)

Gewicht en omvang


Hoogte van de verpakking 250 mm
Gewicht pakket 6,6 kg

Verpakking

Meegeleverde kabels Stroomingangskabel
Gebruikershandleiding ✓

Logistics data

Code geharmoniseerd systeem (HS) 85078000



0731304410850



731304410850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.