

CyberPower UT1500EG UPS Line-interactive 1,5 kVA 900 W 4 AC-uitgang(en)

Merk : CyberPower

Artikelcode: UT1500EG


Productnaam : UT1500EG

CyberPower UT1500EG. UPS-topologie: Line-interactive, Output power capacity (VA): 1,5 kVA, Uitgangsvermogen: 900 W. Aantal AC uitgangen: 4 AC-uitgang(en), USB port type: USB Type A/USB Type-C, Bekabelingstechnologie: 10/100/1000Base-T(X). Energie-opslagtechnologie accu/batterij: Sealed Lead Acid (VRLA), Accu/Batterij oplaadtijd: 8 uur, Charging current: 2,1 A. Form factor: Tower, Kleur van het product: Zwart, Materiaal behuizing: Plastic. Breedte: 148 mm, Diepte: 298 mm, Hoogte: 178 mm



Kenmerken		Accu/Batterij	
UPS-topologie *	Line-interactive	Accu/Batterij oplaadtijd	8 uur
Output power capacity (VA) *	1,5 kVA	Laadstroom	2,1 A
Uitgangsvermogen *	900 W	Design	
Golfvorm *	Pseudo sine	Vormfactor *	Tower
Ingang operation voltage (min) *	167 V	Materiaal behuizing	Plastic
Ingang operation voltage (max) *	295 V	Lengte snoer	1,5 m
Frequentie *	50/60 Hz	Type koeling	Actief
Uitgang operation voltage (max)	230 V	Kleur van het product *	Zwart
Automatic Voltage Regulation (AVR)	✓	Soort bediening	Knoppen
Stroom (max.)	6,52 A	LED-indicatoren	Fout, Ingeschakeld, Ja
Surge energy rating	150 J	Eisen aan de omgeving	
Responstijd	4 ms	Temperatuur, in bedrijf	0 - 40 °C
Warmte-dissipatie	34,1 BTU/h	Temperatuur bij opslag	-20 - 50 °C
EMI/RFI geluidsfiltering	✓	Relatieve luchtvochtigheid, in bedrijf	0 - 90 procent
Geluidsniveau	50 dB	Luchtvochtigheid bij opslag	0 - 90 procent
Spanningsbeveiliging	✓	Hoogte, in bedrijf	0 - 3000 m
Golf protectie functies	Modem, Netwerk, Telefoon	Hoogte bij opslag	0 - 3000 m
Stroomspanning bescherming	Overbelasting	Technische details	
Geluidsalarm	✓	Naleving van duurzaamheid	✓
Hoorbare alarmstanden	Alarm bij werking op batterij, Storing, Alarm bij laag batterijniveau, Alarm bij overbelasting	Certificaten van naleving	CE, RoHS
Type stroombron	Sector	Gewicht en omvang	
Land van herkomst	China	Breedte	148 mm
Poorten & interfaces		Diepte	298 mm
Aantal AC uitgangen	4 AC-uitgang(en)	Hoogte	178 mm
USB-poort	✓	Gewicht	9,1 kg
USB-poorttype	USB Type A/USB Type-C	Breedte van de verpakking	271 mm

Poorten & interfaces		Gewicht en omvang	
Aantal Ethernet LAN (RJ-45)-poorten	2	Diepte van de doos	397 mm
Bekabelingstechnologie	10/100/1000Base-T(X)	Hoogte van de verpakking	202 mm
Accu/Batterij		Gewicht pakket	9,7 kg
Energie-opslagtechnologie accu/batterij	Sealed Lead Acid (VRLA)	Verpakking	
		Gebruikershandleiding	✓
		Snelle installatiehandleiding	✓
		Logistics data	
		Code geharmoniseerd systeem (HS) 8504408590	



4711027790930

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date