



Origin Storage OSDOCK-USBC laptop dock & poortreplicator Docking USB 3.2 Gen 1 (3.1 Gen 1) Type-C Zwart

Merk : Origin Storage

Artikelcode: OSDOCK-USBC

Productnaam : OSDOCK-USBC

Origin Storage OSDOCK-USBC. Connectiviteitstechnologie: Docking, Hostinterface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 85 W. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Kleur van het product: Zwart, Land van herkomst: Taiwan, Merkcompatibiliteit: Alle merken. Type stroombron: Sector, Power connector: USB Type-C, AC invoer voltage: 100-240 V. Breedte: 190 mm, Diepte: 85,3 mm, Hoogte: 27 mm



Poorten & interfaces

Connectiviteitstechnologie *	Docking
Hostinterface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	3
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type C	1
PowerShare	✓
USB Power Delivery	✓
USB Power Delivery tot max.	85 W
Aantal HDMI-poorten *	1
Aantal DisplayPorts	2
Microfoon, line-in ingang *	✓
Hoofdtelefoonuitgangen *	1

Netwerk

Ethernet LAN *	✓
Aantal Ethernet LAN (RJ-45)-poorten	1
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s
10G support	✗

Prestatie

Geïntegreerde geheugenkaartlezer *	✗
NVMe	✗
Kleur van het product *	Zwart
Sleutelsleuf	✓
Land van herkomst	Taiwan
Merkcompatibiliteit	Alle merken
Certificering	CE, FCC

Energie

Type stroombron	Sector
Netstekker	USB Type-C
AC invoer voltage	100-240 V
Spanning	20 V
Output current	5 A

Eisen aan de omgeving

Temperatuur, in bedrijf	0 - 35 °C
-------------------------	-----------

Gewicht en omvang

Breedte	190 mm
Diepte	85,3 mm
Hoogte	27 mm
Gewicht	500 g

Verpakking

Aantal per verpakking	1 stuk(s)
Breedte van de verpakking	250 mm
Diepte van de doos	115 mm
Hoogte van de verpakking	127 mm
Gewicht pakket	770 g

Inhoud van de verpakking

Montagebeugels meegeleverd	✗
Garantiekart	✓
Meegeleverde kabels	Sector, USB Type-C
Inclusief AC-adapter	✓
Snelstartgids	✓
Gebruikershandleiding	✓
Gebruiksaanwijzing	✓
Meegeleverde drivers	✓

Audio		Inhoud van de verpakking	
Ingebouwde luidsprekers	✘	Low-profile bracket	✘
Koeling		Staander inbegrepen	✔
Ingebouwde ventilator	✘	Technische details	
		Garantieperiode	1 jaar
		Certificaten van naleving	RoHS



5056006165026

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date