

Brother MFC-L2860DWE multifunction printer Laser A4 1200 x 1200 DPI 34 ppm Wi-Fi

Merk : Brother

Artikelcode: MFC-L2860DWE


Productnaam : MFC-L2860DWE

Brother MFC-L2860DWE. Printtechnologie: Laser, Printen: Zwart-wit afdrukken, Maximale resolutie: 1200 x 1200 DPI. Kopiëren: Zwart-wit kopiëren, Maximale kopieerresolutie: 600 x 600 DPI. Scannen: Scannen in kleur, Optische scanresolutie: 1200 x 1200 DPI. Faxen: Zwart-wit faxen. Duplex functies: Printen. Maximale ISO A-series papierformaat: A4. Wi-Fi. Direct printen. Kleur van het product: Zwart



| Printing | | Paper handling | |
|---|---|-----------------------------------|---|
| Duplex printing mode | Auto | Custom media length | 147 - 356 mm |
| Print technology * | Laser | Paper tray media weight | 60 - 230 g/m ² |
| Printing * | Mono printing | Ports & interfaces | |
| Duplex printing * | ✓ | Direct printing * | ✓ |
| Maximum resolution * | 1200 x 1200 DPI | USB port | ✓ |
| Print speed (black, normal quality, A4/US Letter) * | 34 ppm | USB 2.0 ports quantity | 1 |
| Time to first page (black, normal) | 8.5 s | Network | |
| N-in-1 print function | ✓ | Wi-Fi * | ✓ |
| N-up printing | 2, 4 | Ethernet LAN * | ✓ |
| Watermark printing | ✓ | Cabling technology | 10/100Base-T(X) |
| Secure printing | ✓ | Ethernet LAN data rates | 10,100 Mbit/s |
| Booklet printing function | ✓ | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Poster printing function | ✓ | Wi-Fi Direct | ✓ |
| Copying | | Security algorithms | WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP |
| Duplex copying * | ✗ | Mobile printing technologies | Brother iPrint & Scan |
| Copying * | Mono copying | Performance | |
| Maximum copy resolution * | 600 x 600 DPI | Internal memory * | 256 MB |
| Scanning | | Sound pressure level (printing) | 49 dB |
| Duplex scanning * | ✗ | Sound pressure level (quiet mode) | 44 dB |
| Scanning * | Colour scanning | Design | |
| Optical scanning resolution * | 1200 x 1200 DPI | Product colour * | Black |
| Optical scanning resolution (ADF) | 600 x 600 DPI | Market positioning * | Home & office |
| Scanner type * | ADF scanner | Built-in display * | ✓ |
| Scan technology | CIS | Display | LCD |
| Scan to | E-mail, E-mail Server, File, Network folder | | |

| Scanning | | Design | |
|---|--|---|-----------------|
| Scan speed (colour) | 7.5 ppm | Display diagonal | 6.78 cm (2.67") |
| Fax | | Control type | Touch |
| Faxing * | Mono faxing | Colour display | ✓ |
| Modem speed | 33.6 Kbit/s | Power | |
| Fax memory | 500 pages | Power consumption (printing) | 470 W |
| Features | | Power consumption (copying) | 490 W |
| Maximum duty cycle * | 2500 pages per month | Power consumption (ready) | 43 W |
| Duplex functions * | Print | Power consumption (sleep) | 4.1 W |
| Number of print cartridges * | 1 | Power consumption (off) | 0.08 W |
| Printing colours * | Black | Energy Star Typical Electricity Consumption (TEC) | 0.39 kWh/week |
| Page description languages | BR-Script 3, PCL 6, PDF 1.7 | Weight & dimensions | |
| Country of origin | Vietnam | Width | 517 mm |
| Input & output capacity | | Depth | 434 mm |
| Total number of input trays * | 1 | Height | 580 mm |
| Total input capacity * | 250 sheets | Weight | 11.8 kg |
| Total output capacity * | 120 sheets | Packaging data | |
| Auto document feeder (ADF) | ✓ | Package width | 580 mm |
| Auto document feeder (ADF) input capacity | 50 sheets | Package depth | 517 mm |
| Paper handling | | Package height | 434 mm |
| Maximum ISO A-series paper size * | A4 | Package weight | 14.1 kg |
| Paper tray media types * | Recycled paper, Thicker paper, Thin paper, Plain paper, Envelopes, Labels, Thick paper | Logistics data | |
| ISO A-series sizes (A0...A9) * | A4, A6, A5 | Pallet gross height | 18.9 cm |
| ISO B-series sizes (B0...B9) | B5 | Pallet gross weight | 252.2 kg |
| Non-ISO print media sizes | 16K, Executive | Master (outer) cases per pallet | 16 pc(s) |
| JIS B-series sizes (B0...B9) | B6, B5 | Layers per pallet | 4 pc(s) |
| Envelopes sizes | DL, Com-10, Monarch, C5 | Products per pallet | 16 pc(s) |
| Custom media width | 105 - 216 mm | Technical details | |
| | | Master (outer) cases per pallet layer | 4 pc(s) |
| | | Pallet type | 1200 x 1000 mm |



4977766831307

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-MAR-2025. Prints or copies of Information are only valid on the printed Publication date