



TP-Link JetStream TL-SL2428P netwerk-switch Managed L2 Fast Ethernet (10/100) Power over Ethernet (PoE) 1U Zwart

Merk : TP-Link Productfamilie: JetStream Artikelcode: TL-SL2428P


Productnaam : TL-SL2428P




TP-Link JetStream TL-SL2428P. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Fast Ethernet (10/100), Aantal basis-switching RJ-45 Ethernet-poorten: 24. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 12,8 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE.... Power over Ethernet (PoE). Rack-montage, Form factor: 1U

Beheerfuncties		Protocollen	
Switch type *	Managed	Beheerprotocollen	SNMP v1/v2c/v3, RMON, SNMP, TFTP
Switch-laag	L2	Design	
Quality of Service (QoS)	✓	Rack-montage *	✓
Web-gebaseerd management	✓	Vormfactor	1U
ARP-inspectie	✓	Kleur van het product	Zwart
Locatie-instellingen (CLI) configureren	✓	Aantal ventilatoren	2 ventilator(en)
System event log	✓	Prestatie	
Poorten & interfaces		Compatibele besturingssystemen	Microsoft Windows XP, Vista, Windows 7, Windows 8, MAC OS, NetWare, UNIX, Linux
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Upgraden van firmware mogelijk	✓
Type basis-switching RJ-45 Ethernet-poorten *	Fast Ethernet (10/100)	Energie	
Fast Ethernet (koperen) ports kwantiteit	24	Stroombron *	Sector
Aantal Gigabit Ethernet (koper)-poorten	4	AC invoer voltage	100 - 240 V
Aantal Combo SFP-poorten	2	AC invoer frequentie	50/60 Hz
Netwerk		Vermogensverbruik (max)	291,6 W
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
		Aantal Power over Ethernet plus (PoE +)-poorten	24
10G support *	✗	Totaal Power over Ethernet (PoE)-budget	250 W
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Eisen aan de omgeving	
Ondersteundende kabel types	Cat5, Cat5e	Temperatuur, in bedrijf	0 - 40 °C
Port mirroring	✓	Temperatuur bij opslag	-40 - 70 °C
Datastroombeheer	✓	Relatieve luchtvochtigheid, in bedrijf	10 - 90 procent
Verbindingsaggregatie	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Broadcast stormbeheer	✓	Warmtedissipatie	995,09 BTU/h
Rate limiting	✓	Gewicht en omvang	
Auto MDI/MDI-X	✓	Breedte	440 mm

Netwerk		Gewicht en omvang	
Spanning tree protocol	✓	Diepte	180 mm
VLAN=ondersteuning	✓	Hoogte	44 mm
Aantal VLANs	512	Inhoud van de verpakking	
Data-uitwisseling		Meegeleverde kabels	Sector
Switchingcapaciteit *	12,8 Gbit/s	Snelstartgids	✓
Throughput	9,5 Mpps	Rekbevestigingspakket	✓
MAC-adrestabel *	8000 entries	Verpakking	
Aantal wachtrijen	4	Breedte van de verpakking	250 mm
Jumbo Frames ondersteuning	✓	Diepte van de doos	528 mm
Beveiliging		Hoogte van de verpakking	80 mm
Access Control List (ACL)	✓	Gewicht pakket	3,02 kg
IGMP snooping	✓	Certificaten	
Ondersteunde beveiligingsalgoritmen	SNMPv2, SNMPv3, SSH, SSH-2, SSL/TLS	Certificering	CE, FCC, RoHS
SSH/SSL support	✓	Logistics data	
Multicast features		Code geharmoniseerd systeem (HS) 85176990	
Multicast-ondersteuning	✓		



6935364030629



0845973088699



845973088699

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date