**brother**

# Brother MFCL2860DWRE1 Laser A4 1200 x 1200 DPI 34 ppm Wi-Fi

**Merk :** Brother

**Artikelcode:** MFC-L2860DW

**Productnaam :** MFCL2860DWRE1

Brother MFCL2860DWRE1. Printtechnologie: Laser, Printen: Zwart-wit afdrukken, Maximale resolutie: 1200 x 1200 DPI. Kopiëren: Zwart-wit kopiëren, Maximale kopieerresolutie: 600 x 600 DPI. Scannen: Scannen in kleur, Optische scanresolutie: 1200 x 1200 DPI. Faxen: Zwart-wit faxen. Duplex functies: Printen. Maximale ISO A-series papierformaat: A4. Wi-Fi. Direct printen. Kleur van het product: Zwart

## Printing

| | |
|---|---|
| Duplex printing mode | Auto |
| Print technology * | Laser |
| Printing * | Mono printing |
| Duplex printing * | ✔ |
| Maximum resolution * | 1200 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) * | 34 ppm |
| Duplex print speed (black, normal quality, A4/US Letter) | 16 ppm |
| Time to first page (black, normal) | 8.5 s |
| Secure printing | ✔ |

## Copying

| | |
|---|---|
| Duplex copying * | ✗ |
| Copying * | Mono copying |
| Maximum copy resolution * | 600 x 600 DPI |
| Copy speed (black, normal quality, A4) | 34 cpm |

## Scanning

| | |
|---|---|
| Duplex scanning * | ✗ |
| Scanning * | Colour scanning |
| Optical scanning resolution * | 1200 x 1200 DPI |
| Scanner type * | ADF scanner |
| Scan technology | CIS |
| Scan to | E-mail, E-mail Server, File, Image, Network folder, USB |

## Fax

| | |
|---|---|
| Faxing * | Mono faxing |
| Modem speed | 33.6 Kbit/s |

## Paper handling

| | |
|---|---|
| Paper tray media weight | 64 - 105 g/m² |

## Ports & interfaces

| | |
|---|---|
| Direct printing * | ✔ |
| USB port * | ✔ |
| USB 2.0 ports quantity | 1 |

## Network

| | |
|---|---|
| Wi-Fi * | ✔ |
| Ethernet LAN * | ✔ |
| Cabling technology | 10/100Base-T(X) |
| Ethernet LAN data rates | 10,100 Mbit/s |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Wi-Fi Direct | ✔ |
| Security algorithms | 64-bit WEP, 128-bit WEP, WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP, WPA3-SAE |
| Mobile printing technologies | Apple AirPrint, Mopria Print Service |

## Performance

| | |
|---|---|
| Internal memory * | 256 MB |

## Design

| | |
|---|---|
| Product colour * | Black |
| Market positioning * | Home & office |
| Built-in display * | ✔ |
| Display | LCD |
| Control type | Touch |
| Colour display | ✔ |

## Features

| | |
|---|---|
| Maximum duty cycle * | 2500 pages per month |
| Duplex functions * | Print |
| Printing colours * | Black |
| Page description languages | BR-Script 3, PCL 6, PDF 1.7 |
| Country of origin | Vietnam |

## Input & output capacity

| | |
|---|---|
| Total number of input trays * | 1 |
| Total input capacity * | 250 sheets |
| Total output capacity * | 120 sheets |
| Auto document feeder (ADF) | ✔ |
| Auto document feeder (ADF) input capacity | 50 sheets |

## Paper handling

| | |
|---|---|
| Maximum ISO A-series paper size * | A4 |
| Paper tray media types * | Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thin paper |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 |
| ISO B-series sizes (B0...B9) | B5 |
| Non-ISO print media sizes | Letter |
| JIS B-series sizes (B0...B9) | B5, B6 |
| Envelopes sizes | C5, Com-10, DL, Monarch |
| Custom media width | 76.2 - 215.9 mm |
| Custom media length | 127 - 355.6 mm |

## Power

| | |
|---|---|
| Power consumption (printing) | 470 W |
| Power consumption (copying) | 490 W |
| Power consumption (ready) | 43 W |
| Power consumption (sleep) | 4.1 W |
| Power consumption (off) | 0.08 W |
| Energy Star Typical Electricity Consumption (TEC) | 0.39 kWh/week |

## Weight & dimensions

| | |
|---|---|
| Width | 517 mm |
| Depth | 434 mm |
| Height | 580 mm |
| Weight | 11.8 kg |

## Packaging data

| | |
|---|---|
| Package width | 580 mm |
| Package depth | 517 mm |
| Package height | 434 mm |
| Package weight | 14.1 kg |

## Logistics data

| | |
|---|---|
| Harmonized System (HS) code | 8443310000 |
| Pallet gross height | 19.1 cm |
| Pallet gross weight | 203.1 kg |
| Master (outer) cases per pallet | 16 pc(s) |
| Layers per pallet | 4 pc(s) |
| Products per pallet | 16 pc(s) |

## Technical details

| | |
|---|---|
| Master (outer) cases per pallet layer | 4 pc(s) |
| Pallet type | 1200 x 1000 mm |

4977766831468