ASUS PRIME Z790-A WIFI Intel Z790 LGA 1700 ATX

Merk: ASUS Artikelcode: 90MB1CS0-M0EAY0

Productnaam: PRIME Z790-A WIFI

16 + 1 Teamed Power Stages (60A) met vergrote koellichamen, Gen 5-slot voor grafische kaart, AEMP II voor ultieme DDR5-prestaties, USB 3.2 Gen 2x2 Type-C® & Thunderbolt (USB4®) ondersteuning, 2,5 Gb Ethernet, WiFi 6E, Intelligente regeling, Al Cooling II

ASUS PRIME Z790-A WIFI. Processorfabrikant: Intel, Processor socket: LGA 1700, Compatibele processors: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 192 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Component voor: PC, Moederbord form factor: ATX, Moederbord chipset familie: Intel





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		Intel LGA 1700	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
FIOCESSOL SUCKEL		Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB 3.2 Gen 2x2 Type-C ports quantity	1
Compatible processor series *		Intel® Core™ i9, Intel® Pentium® Gold	Ethernet LAN (RJ-45) ports *	1
			HDMI ports quantity *	1
Supported processor sockets		LGA 1700	DisplayPorts quantity	1
Memory			Headphone outputs	1
Supported memory types * Number of memory slots *	DDR5-SDRAM 4		Line-in	✓
Memory slots type Memory channels	DIMM Dual-channel		Microphone in	✓
ECC compatibility	Non-ECC		S/PDIF out port	×
Supported memory clock speeds	4800,5000,5200, MHz	5400,5600,5800,6000,6200,6400,6600,6800,7000,7200	WiFi-AP antenna jack	1
Supported memory clock speed (max)	7200 MHz		Network	
Maximum internal memory * Unbuffered memory	192 GB ✓		Ethernet LAN	✓
Storage controllers			Ethernet interface type	2.5 Gigabit Ethernet
Supported storage drive types		HDD & SSD	Wi-Fi *	✓
Supported storage drive interfaces *		M.2, SATA III	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
RAID support RAID levels		✓ 0, 1, 5, 10	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Graphics			Bluetooth	✓
Parallel processing technology		Not supported	Bluetooth version	5.3
support * On-board graphics card		X	Features	
5 1			Motherboard chipset *	Intel Z790
Internal I/O			Audio output channels *	7.1 channels
USB 2.0 connectors *		2	Product colour	Black, White
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		1	Component for * Motherboard form factor *	PC ATX

Motherboard chipset family * Intel Power source type ATX Number of SATA III connectors * 4 Windows operating systems supported Windows 10 x64, Windows ATX Power connector (24-pin)				
connectors *	Internal I/O		Features	
CPU fan connector Number of chassis fan connectors PCI Express x1 (Gen 3.x) slots PCI Express x4 (Gen 4.x) slots PCI Express x4 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots PCI Express x16 (Gen 5.x) slots Number of COM connectors Number of M.2 (M) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots UEFI AMI 12V power connector PROS UEFI AMI 12V power connecto	connectors * Number of SATA III connectors *	4	Power source type Windows operating systems	
Number of chassis fan connectors 4 PCI Express x4 (Gen 4.x) slots 1 Chassis intrusion connector	ATX Power connector (24-pin)	✓	Expansion slots	
TPM connector Thunderbolt headers 1 BIOS type * UEFI AMI 12V power connector BIOS memory size 256 Mbit Clear CMOS button Packaging data USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * Weight & dimensions Width Depth Packaging content Cables included SATA	Number of chassis fan connectors Chassis intrusion connector EPS power connector (8-pin)	4	PCI Express x4 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots	1 1 1
12V power connector RGB LED pin header Rear panel I/O ports USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * Weight & dimensions Width Depth 244 mm Packaging content Cables included Packaging content Cables included SATA		-	BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * 2 Package depth Package height Package weight Somm Package weight Package weight Somm Somm Somm Package weight Somm Somm Somm Somm Somm Somm Somm Som	12V power connector	<i>'</i>	BIOS memory size	256 Mbit
ports quantity * Package depth 265 mm USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * Package weight 71 mm Package weight 1.27 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA	Rear panel I/O ports		Packaging data	
Width 305 mm Depth 244 mm Packaging content Cables included SATA	ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A	•	Package depth Package height	265 mm 71 mm
Depth 244 mm Packaging content Cables included SATA			Weight & dimensions	
Cables included SATA				
			Packaging content	
Drivers included ✓			Cables included	SATA
			Drivers included	✓





195553939324

0195553939324



4711081939337

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.