

Epson WorkForce Pro WF-C5390DW inkjetprinter Kleur 4800 x 1200 DPI A4 Wi-Fi

Merk : Epson

Productfamilie: WorkForce Pro **Artikelcode:** C11CK25401


Productnaam : WF-C5390DW

Epson WorkForce Pro WF-C5390DW. Kleur, Aantal printcartridges: 4, Gebruiksindicatie (maximaal): 75000 pagina's per maand. Maximale resolutie: 4800 x 1200 DPI. Maximale ISO A-series papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 34 ppm. Duplex printen. Wi-Fi. Kleur van het product: Zwart, Wit



Kenmerken		Papier	
Duplex printen *	✓	Foto papier afmetingen	10x15,13x18 cm
Modus voor dubbelzijdig afdrucken	Auto	Papierlade mediagewicht	64 - 256 g/m ²
Paginabeschrijving talen *	ESC/P-R, PCL 5c, PCL 6, PDF 1.7, PostScript 3	Poorten & interfaces	
Printkleuren *	Zwart, Cyaan, Magenta, Geel	USB-poort *	✓
Kleur *	✓	Direct printen	✓
Gebruiksindicatie (maximaal) *	75000 pagina's per maand	Netwerk	
Aantal printcartridges *	4	Ethernet LAN *	✓
Printsnelheid		Wi-Fi *	✓
Maximale resolutie *	4800 x 1200 DPI	Wi-Fi Direct *	✓
Printsnelheid (zwart, standaardkwaliteit, A4/US Letter) *	34 ppm	Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA2-AES, WPA2-PSK
Printsnelheid (kleur, standaard, A4/US Letter)	34 ppm	Mobiele printing technologieën	Apple AirPrint, Epson Email Print, Epson Remote Print, Google Cloud Print
Tijdsduur tot de eerste pagina (zwart, normaal)	4,8 s	Prestatie	
Tijdsduur tot de eerste pagina (kleur, normaal)	5,3 s	Intern geheugen *	2057 MB
Input & output capacity		Design	
Totaal aantal invoerladen *	1	Markt positionering *	Bedrijf
Totale invoercapaciteit *	330 vel	Kleur van het product *	Zwart, Wit
Totale uitvoercapaciteit *	150 vel	Ingebouwd display *	✓
Maximumaantal invoerladen *	3	Energie	
Maximum invoercapaciteit	1830 vel	Gemiddeld stroomverbruik tijdens printen *	25 W
Papier		Stroomverbruik (indien uit)	0,2 W
Maximale ISO A-series papierformaat *	A4	Stroomverbruik (gereed)	9,8 W
Papierlade mediatypen *	Fotopapier, Normaal papier	Energy Star Typical Electricity Consumption (TEC)	0,17 kWh/week
ISO A-series afmetingen (A0...A9) *	A4, A5, A6	AC invoer voltage	220 - 240 V
Non-ISO print papierafmetingen	Legal, Letter	AC invoer frequentie	50 - 60 Hz
Afmetingen enveloppen	10, C4, C5, C6, DL	Gewicht en omvang	
		Breedte	425 mm

Gewicht en omvang	
Diepte	535 mm
Hoogte	357 mm
Gewicht	15,3 kg



8715946703510

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-NOV-2024. Prints or copies of Information are only valid on the printed Publication date