

LG 34BQ77QC-B PC-flat panel 86,4 cm (34") 3440 x 1440 Pixels Wide Quad HD LCD Zwart

Merk: LG Artikelcode: 34BQ77QC-B.AEU

Productnaam: 34BQ77QC-B

- 34" WQHD (3440x1440) IPS-display
- HDR10 en sRGB 99% (typ.)
- USB Type-C™
- Leesmodus en Flicker Safe
- Ingebouwde Full HD-webcam en microfoon
- Kantelen/Hoogte/Draaien

34-inch UltraWide™ WQHD (3440x1440) IPS-monitor met ingebouwde webcam en microfoon LG 34BQ77QC-B. Beeldschermdiagonaal: 86,4 cm (34"), Resolutie: 3440 x 1440 Pixels, HD type: Wide Quad HD, Display technologie: LCD, Responstijd: 5 ms, Oorspronkelijke beeldverhouding: 21:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	Built-in KVM switch	✓
Display resolution *	3440 x 1440 pixels	HDCP	✓
HD type *	Wide Quad HD	HDCP version	2.2
Native aspect ratio *	21:9	AC (power) in	/
Display technology *	LCD	Matrice	
Panel type *	IPS	Network	
Touchscreen *	×	Ethernet LAN	✓
Display brightness (typical)	300 cd/m ²	Ergonomics	
Response time *	5 ms	VESA mounting *	✓
Anti-glare screen	✓	Panel mounting interface	100 x 100 mm
Screen shape *	Curved	Height adjustment *	✓
Screen curvature rating	3800R		15 cm
Contrast ratio (typical) *	1000:1	Height adjustment	
Maximum refresh rate *	60 Hz	Swivelling	✓
Viewing angle, horizontal	178°	Swivel angle range	-30 - 30°
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	1.07 billion colours	Tilt angle range	-5 - 35°
Pixel pitch	0.2325 x 0.2325 mm	On Screen Display (OSD)	✓
High Dynamic Range (HDR) supported	✓	Number of OSD languages	17
High Dynamic Range (HDR) technology	HDR Effect, High Dynamic Range 10 (HDR10)	Power Energy efficiency class (SDR) *	G
Colour depth	10 bit	Energy efficiency class (HDR) *	G
Colour gamut standard	sRGB	Energy consumption (SDR) per 1000	_
Colour gamut	99%	hours *	32 kWh
Performance		Energy consumption (HDR) per 1000 hours *	51 kWh
Flicker-free technology	✓	Power consumption (typical) *	60 W
Smart modes	Cinema, Custom, Energy saving, Vivid	Power consumption (standby) *	0.5 W
		Power consumption (max)	150 W
Multimedia		Power consumption (off)	0.3 W
Number of speakers	2	AC input voltage	100 - 240 V
RMS rated power	10 W	AC input frequency	50/60 Hz
Built-in speaker(s) *	✓	Input current	9 A
Built-in microphone	✓	AC adapter output voltage	20 V
Built-in camera *	,	Power supply type	Internal
Dunt-in Calllera	•		

Design		Power	
Market positioning *	Business	Energy efficiency scale	A to G
Product colour *	Black	European Product Registry for Energy Labelling (EPREL) code	1299747
Colour name	Black Texture		
Front bezel colour	Black	Weight & dimensions	
Detachable stand	✓	Width (with stand)	816.7 mm
Illuminated stand	×	Depth (with stand)	252.9 mm
Feet colour	Black	Height (with stand)	617.6 mm
Ports & interfaces		Weight (with stand)	10.2 kg
Built-in USB hub *	1	Width (without stand)	816.7 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Depth (without stand)	83.6 mm
USB upstream port type	USB Type-B	Height (without stand)	364.4 mm
Number of upstream ports	1	Weight (without stand)	6.8 kg
USB Type-A downstream ports		Packaging data	
quantity	4	Package width	988 mm
USB Type-C downstream ports	1	Package depth	212 mm
quantity	-	Package height	571 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	13.2 kg
USB Power Delivery (USB PD)	1	Package type	Box
USB Power Delivery up to	90 W	USB cable length	1.8 m
HDMI *	√	Packaging content	
HDMI ports quantity	2	Stand included	✓
HDMI version	2.0	Cables included	DisplayPort, HDMI, Power, USB
DisplayPorts quantity	1	Cables included	Type-C
DisplayPort version	1.4	DisplayPort cable length	1.8 m
Headphone out *	✓	HDMI cable length	1.8 m
Microphone in	1	Power cable length	1.8 m
Prici oprioric III	•	Other features	
		Brand specific technologies	Black Stabilizer
		Warranty period	3 year(s)

