

Brother HL-L9310CDW laser printer Kleur 2400 x 600 DPI A4 Wi-Fi

Merk : Brother

Artikelcode: HL-L9310CDW

Productnaam : HL-L9310CDW


- Afdruksnelheid tot 31 ppm
- LCD kleuren touchscreen 6.8 cm
- Netwerkklaar (bekabeld en draadloos), USB 2.0 Hi-speed
- iPrint&Scan, Wi-Fi Direct, Airprint, NFC, Mopria™ Print Service, Android Print Service Plugin
- Papierlade voor 250 vel, universele papierinvoer voor 50 vel
- Geleverd met toner (circa 6.500 pagina's)

Netwerk Kleurenlaserprinter 31 ppm - 1 GB - 2400 dpi class - interne duplexunit - NFC - Wireless
 Brother HL-L9310CDW. Printtechnologie: Laser, Kleur. Aantal printcartridges: 4, Gebruiksindicatie
 (maximaal): 80000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series
 papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 31 ppm, Duplex printen.
 Beeldscherm: LCD. Netwerkgereed, Wi-Fi




Printing		Network	
Duplex printing mode	Auto/Manual	Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, AES, EAP-FAST, EAP-TLS, EAP-TTLS, IPSec, LEAP, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS, TKIP, WPA-PSK, WPS
Print speed (colour, normal quality, A4/US Letter)	31 ppm		ARP, RARP, BOOTP, DHCP, APIPA(AutoIP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP
Colour *	✓	Supported network protocols (IPv4)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTTP Client, LDAP
Print technology *	Laser		Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
Duplex printing *	✓	Supported network protocols (IPv6)	
Maximum resolution *	2400 x 600 DPI		
Print speed (black, normal quality, A4/US Letter) *	31 ppm	Mobile printing technologies	
Duplex print speed (black, normal quality, A4/US Letter)	14 ppm		
Duplex print speed (colour, normal quality, A4/US Letter)	14 ppm	Performance	
Warm-up time	29 s		
Time to first page (black, normal)	15 s	Internal memory *	1024 MB
Time to first page (colour, normal)	15 s	Built-in processor	✓
Watermark printing	✓	Processor frequency	800 MHz
N-up printing	2, 4, 9, 16, 25	Sound pressure level (printing)	49 dB
Booklet printing function	✓	Sound pressure level (quiet mode)	44 dB
Features		Sound power level (printing)	65.5 dB
Maximum duty cycle *	80000 pages per month		
Number of print cartridges *	4		
Page description languages *	BR-Script 3, PCL 6, PDF 1.7, XPS		
Linear (1D) barcodes supported	Codabar, Code 128A, Code 128B, Code 128C, Code 39, Code 93, Facing Identification Mark, GS1 DataBar, ISBN, Interleaved 2 of 5, MSI, POSTNET, UPC-A, UPC-E		
Country of origin	China		

Features		Performance	
Replacement cartridges	TN-910BK TN-910C TN-910M TN-910Y	Sound power level (standby)	60 dB
Input & output capacity		Design	
Total number of input trays *	1	Market positioning *	Business
Total input capacity *	300 sheets	Built-in display *	✓
Total output capacity *	150 sheets	Display	LCD
Paper tray 1 input capacity	250 sheets	Colour display	✓
Multi-Purpose tray	✓	Display diagonal	6.86 cm (2.7")
Multi-Purpose tray input capacity	50 sheets	Control type	Touch
Maximum input capacity	2380 sheets	Power	
Maximum output capacity	150 sheets	Power consumption (printing) *	580 W
Paper handling		Power consumption (ready)	70 W
Maximum ISO A-series paper size *	A4	Energy Star Typical Electricity Consumption (TEC)	1.8 kWh/week
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Plain paper, Recycled paper	System requirements	
Multi-purpose tray media types	Bond paper, Glossy paper, Letterhead, Plain paper, Recycled paper	Windows operating systems supported	Windows 10, Windows 7, Windows 8
ISO A-series sizes (A0...A9) *	A4, A5, A6	Mac operating systems supported	✓
Non-ISO print media sizes	Executive, Legal, Letter	Linux operating systems supported	✓
Envelopes sizes	10	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Custom media width	76.2 - 215.9 mm	Sustainability	
Custom media length	127 - 355.6 mm	Sustainability compliance	✓
Paper tray media weight	60 - 105 g/m²	Sustainability certificates	Blue Angel, ENERGY STAR, Nordic Swan Ecolabel
Paper tray media weight (imperial)	7.26 - 12.7 kg (16 - 28 lbs)	Weight & dimensions	
Multi-Purpose Tray media weight (imperial)	7.26 - 19.5 kg (16 - 43 lbs)	Width	605 mm
Ports & interfaces		Depth	575 mm
Direct printing *	✓	Height	645 mm
USB port *	✓	Weight	23 kg
USB 2.0 ports quantity	3	Packaging data	
USB connector	USB Type-A	Package width	642 mm
Network		Package depth	603 mm
Network ready	✓	Package height	578 mm
Wi-Fi *	✓	Package weight	27 kg
Ethernet LAN *	✓	Packaging content	
Cabling technology	10/100/1000Base-T(X)	Cartridge(s) included	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Included cartridge capacity (black)	6500 pages
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Logistics data	
Near Field Communication (NFC)	✓	Pallet gross height	18.6 cm
		Pallet gross weight	178.8 kg
		Master (outer) cases per pallet	6 pc(s)
		Layers per pallet	3 pc(s)
		Products per pallet	6 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	2 pc(s)
		Pallet type	800 x 1200 mm
		Other features	
		Authentication method	LDAP, ActiveDirectory, RADIUS
		Dimensions (W x D x H) (imperial)	442 x 485.1 x 312.4 mm (17.4 x 19.1 x 12.3")
		Online services supported	Dropbox, Google Drive




4977766774253




0012502646440




012502646440




4977766774260




4977766774222



4058154238417



4977766774239



4977766774246

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date