

Brother HL-L9470CDN laser printer Kleur 2400 x 600 DPI A4

Merk : Brother

Artikelcode: HL-L9470CDN

Productnaam : HL-L9470CDN

- Print tot 40 pagina's per minuut
- Dubbelzijdig printen tot 40 zijden per minuut
- LCD kleurentouchscreen van 8,76 cm
- 1 GB intern geheugen
- Papierlade voor 520 vel, uitbreidbaar tot 2.600 vel
- Meegeleverde toner voor 12.000 pagina's (BK), 9.000 pagina's (CMY)*


Zakelijke A4 kleurenlaserprinter met geavanceerde papieropecties, ingebouwde NFC ondersteuning en geactiveerde premium Business solutions waaronder SecurePrint+ voor het beveiligd afdrukken van documenten

Brother HL-L9470CDN. Printtechnologie: Laser, Kleur. Aantal printcartridges: 4, Gebruiksindicatie (maximaal): 150000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 40 ppm, Duplex printen. Beeldscherm: LCD, Kleur van het product: Wit



Printing		Network	
Duplex printing mode	Auto		NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTF Client, LDAP
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Supported network protocols (IPv6)	
Colour *	✓		
Print technology *	Laser		
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Maximum resolution *	2400 x 600 DPI		
Print speed (black, normal quality, A4/US Letter) *	40 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Performance	
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm	Internal memory *	1000 MB
Warm-up time	20 s	Internal storage capacity	8 GB
Time to first page (black, normal)	10 s	Built-in processor	✓
Time to first page (colour, normal)	10 s	Processor frequency	800 MHz
Watermark printing	✓	Sound pressure level (printing)	56.5 dB
Secure printing	✓	Sound pressure level (quiet mode)	53 dB
N-up printing	2, 4, 6, 9, 16	Sound power level (printing)	68.8 dB
Booklet printing function	✓	Sound power level (standby)	30.2 dB
		Design	
Features		Market positioning *	Home & office
Maximum duty cycle *	150000 pages per month	Product colour *	White
Recommended duty cycle	0 - 15000 pages per month	Built-in display *	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Display	LCD
Number of print cartridges *	4	Colour display	✓
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS	Display diagonal	8.89 cm (3.5")
Number of PCL fonts	73	Control type	Touch
Number of PostScript fonts	66	Power	
		Power consumption (printing) *	770 W

Features		Power	
Number of bitmap fonts	12	Power consumption (max)	1080 W
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E	Power consumption (ready)	85 W
Country of origin	China	Power consumption (off)	0.04 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.662 kWh/week
Total number of input trays *	2	AC input voltage	220 - 240 V
Total input capacity *	620 sheets	AC input frequency	50/60 Hz
Total output capacity *	250 sheets	System requirements	
Paper tray 1 input capacity	520 sheets	Windows operating systems supported	✓
Multi-Purpose tray	✓	Mac operating systems supported	✓
Multi-Purpose tray input capacity	100 sheets	Linux operating systems supported	✓
Paper handling		Other operating systems supported	ChromeOS
Maximum ISO A-series paper size *	A4	Operational conditions	
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Operating temperature (T-T)	10 - 32 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Storage temperature (T-T)	0 - 40 °C
ISO B-series sizes (B0...B9)	B5, B6	Operating relative humidity (H-H)	20 - 80%
Envelopes sizes	C5, Com-10, DL	Storage relative humidity (H-H)	10 - 90%
Custom media width	76.2 - 215.9 mm	Weight & dimensions	
Custom media length	127 - 355.6 mm	Width	628 mm
Paper tray media weight	60 - 230 g/m ²	Depth	634 mm
Multi-Purpose Tray media weight	60 - 230 g/m ²	Height	557 mm
Auto Document Feeder (ADF) media weight	60 - 230 g/m ²	Weight	29.5 kg
Ports & interfaces		Packaging data	
Direct printing *	✓	Package width	557 mm
USB port *	✓	Package depth	628.2 mm
USB 2.0 ports quantity	2	Package height	633.5 mm
USB connector	USB Type-A / USB Type-B	Package weight	34.7 kg
Optional connectivity	Wireless LAN	Packaging content	
Network		Cartridge(s) included	✓
Wi-Fi *	✗	Included cartridge capacity (black)	12000 pages
Ethernet LAN *	✓	Included cartridge capacity (CMY)	9000 pages
Cabling technology	10/100/1000Base-T(X)	Bundled software	Brother iPrint&Scan, Brother Utilities, Easy setup
Ethernet LAN data rates	10,100,1000 Mbit/s	Logistics data	
Wi-Fi Direct	✓	Pallet gross height	14.2 cm
Near Field Communication (NFC)	✓	Pallet gross weight	156.8 kg
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK	Master (outer) cases per pallet	4 pc(s)
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP	Layers per pallet	2 pc(s)
		Products per pallet	4 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	2 pc(s)
		Pallet type	800 x 1200 mm



4977766813976



0012502666028



012502666028

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.