



DELL UltraSharp 32 4K USB-C-hubmonitor - U3223QE

Merk : DELL

Productfamilie: UltraSharp

Artikelcode: DELL-U3223QE

Productnaam : Dell UltraSharp
32 4K USB-C-hubmonitor -
U3223QE

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 LED IPS
- 8ms, 16:9, 400cd/m², 2000:1
- USB, HDMI, DisplayPort
80.0cm (31.5") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 400cd/m², 1.07B, 8ms, 178°/178°, 2000:1


DELL UltraSharp 32 4K USB-C-hubmonitor - U3223QE:

Werk het meest productief op een 31,5-inch 4K-monitor met schitterende kleuren en contrast die is uitgerust met baanbrekende IPS Black-technologie en een connectiviteitshub.
DELL UltraSharp 32 4K USB-C-hubmonitor - U3223QE. Beeldschermdiagonaal: 80 cm (31.5"), Resolutie: 3840 x 2160 Pixels, HD type: 4K Ultra HD, Display technologie: LCD, Responstijd: 8 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 2 (3.1 Gen 2). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zilver




Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Plug and Play	✓
Display resolution *	3840 x 2160 pixels	Power	
HD type *	4K Ultra HD	Energy efficiency class (SDR) *	F
Native aspect ratio *	16:9	Energy efficiency class (HDR) *	E
Display technology *	LCD	Energy consumption (SDR) per 1000 hours *	29 kWh
Panel type *	IPS Black	Energy consumption (HDR) per 1000 hours *	26 kWh
Backlight type	LED	Power consumption (typical) *	29.4 W
Touchscreen *	✗	Power consumption (standby) *	0.3 W
Display brightness (typical)	400 cd/m ²	Power consumption (max)	220 W
Response time *	8 ms	Power consumption (off)	0.2 W
Anti-glare screen	✓	AC input voltage	100 - 240 V
Screen shape *	Flat	AC input frequency	50 - 60 Hz
Supported video modes	1080i, 1080p, 480p, 720p, 576p	Input current	2.7 A
Contrast ratio (typical) *	2000:1	Power supply type	Internal
Maximum refresh rate *	60 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for Energy Labelling (EPREL) code	955168
Viewing angle, vertical	178°	Operational conditions	
Display number of colours *	1.07 billion colours	Operating temperature (T-T)	0 - 40 °C
Response time (fast)	5 ms	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.18159 x 0.18159 mm	Operating relative humidity (H-H)	10 - 80%
Pixel density	137.68 ppi	Storage relative humidity (H-H)	5 - 90%
Horizontal scan range	15 - 140 kHz	Operating altitude	0 - 5000 m
Vertical scan range	23 - 86 Hz	Non-operating altitude	0 - 12192 m
Viewable size, horizontal	69.7 cm	Weight & dimensions	
Viewable size, vertical	39.2 cm	Width (with stand)	712.6 mm
Display diagonal (metric)	80.01 cm	Depth (with stand)	233.2 mm
High Dynamic Range (HDR) supported	✗	Height (with stand)	469.3 mm
DDC/CI	✓		
Surface hardness	3H		
Colour gamut standard	sRGB		


Display		Weight & dimensions		
sRGB coverage (typical)	100%	Weight (with stand)	9.98 kg	
DCI-P3 coverage	98%	Width (without stand)	712.6 mm	
Heat dissipation	98.27 BTU/h	Depth (without stand)	55.8 mm	
Performance		Height (without stand)	410 mm	
NVIDIA G-SYNC *	✗	Weight (without stand)	5.65 kg	
AMD FreeSync *	✗	Bezel width (side)	7.65 mm	
Flicker-free technology	✓	Bezel width (top)	7.65 mm	
Low Blue Light technology	✓	Bezel width (bottom)	1.01 cm	
Multimedia		Packaging data		
RMS rated power	0 W	Package weight	14.5 kg	
Built-in speaker(s) *	✗	Packaging content		
Built-in camera *	✗	Stand included	✓	
Design		Cables included	AC, DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C	
Market positioning *	Graphics design	Quick start guide	✓	
Product colour *	Silver	Sustainability		
Front bezel colour	Black	Sustainability certificates	TCO, ENERGY STAR, EPEAT Gold	
Feet colour	Silver	Doesn't contain	PVC/BFR, Arsenic	
Ports & interfaces		Carbon footprint		
Built-in USB hub *	✓	Total carbon footprint (kg of CO2e)	880	
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Total carbon emissions, standard deviation (kg of CO2e)	210	
USB upstream port type	USB Type-C	Carbon emissions, manufacturing (kg of CO2e)	433	
Number of upstream ports	2	Carbon emissions, logistics (kg of CO2e)	120	
Number of USB Type-C upstream ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	320	
USB Type-A downstream ports quantity	5	Carbon emissions, end-of-life (kg of CO2e)	8	
USB Power Delivery (USB PD)	✓	Total carbon emissions, w/o use phase (kg of CO2e)	560	
USB Power Delivery up to	90 W	PAIA version	1.3.0	
HDMI *	✓	Other features		
HDMI ports quantity	1	Picture-by-Picture (PbP)	✓	
HDMI version	2.0	Maximum resolution	3840 x 2160 pixels	
DisplayPorts quantity	2	RJ-45 ports quantity	1	
Audio output	✓	Heavy metals free	Hg (mercury)	
Headphone out *	✓	Compliance certificates	RoHS	
Headphone outputs	1	Power management	✓	
Headphone connectivity	3.5 mm	Compliance industry standards	ENERGY STAR certified Monitor. EPEAT registered where applicable. TCO Certified & TCO Certified Edge. RoHS Compliant. BFR/PVC Free monitor Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.	
HDCP	✓			
Network				
Wi-Fi	✗			
Ergonomics		Logistics data	Harmonized System (HS) code	85285210
VESA mounting *	✓			
Panel mounting interface	100 x 100 mm			
Cable lock slot *	✓			
Height adjustment *	✓			
Pivot	✗			
Swivelling	✓			
Swivel angle range	-30 - 30°			
Tilt adjustment	✓			
Tilt angle range	-5 - 21°			
On Screen Display (OSD)	✓			



5397184567739



5715063338063



0884116414209



884116414209

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.