

Epson EcoTank ET-5880 Inkjet A4 4800 x 2400 DPI 25 ppm Wi-Fi

Merk : Epson

Productfamilie: EcoTank

Artikelcode: C11CJ28401

Productnaam : ET-5880



- Uitzonderlijk voordelige 4-in-1 A4-printer: Zuinig inktanksysteem
 - Hoge print- en scansnelheden: Print tot 25 ppm en scan tot 27,5 apm
 - Gebruiksvriendelijke inktank aan de voorzijde: Ervaar het genot van probleemloos bijvullen zonder morsen dankzij de verbeterde inktflessen
 - Mobiel printen en connectiviteit: Wi-Fi, Wi-Fi Direct, Ethernet en gratis mobiele printapps²
 - Ontworpen voor zakelijk gebruik: 2x papierlade 250 vellen vooraan, papierlade 50 achteraan, ADF voor 50 vellen, PCL en PS3
- EcoTank Pro ET-5880

Epson EcoTank ET-5880. Printtechnologie: Inkjet, Printen: Afdrukken in kleur, Maximale resolutie: 4800 x 2400 DPI, Printsnelheid (kleur, standaard, A4/US Letter): 25 ppm. Kopiëren: Kopiëren in kleur. Scannen: Scannen in kleur, Optische scanresolutie: 2400 x 1200 DPI. Faxen: Faxen in kleur. Maximale ISO A-series papierformaat: A4. Wi-Fi. Direct printen. Kleur van het product: Zwart, Wit

| Printing | | Paper handling | |
|---|----------------------|---------------------------------------|--|
| Duplex printing mode | Auto | ISO A-series sizes (A0...A9) * | A4, A5, A6 |
| Print technology * | Inkjet | ISO B-series sizes (B0...B9) | B5, B6 |
| Printing * | Colour printing | Non-ISO print media sizes | Legal, Letter |
| Duplex printing * | ✓ | Envelopes sizes | 10, C4, C6, DL |
| Maximum resolution * | 4800 x 2400 DPI | Paper tray media weight | 64 - 255 g/m ² |
| Print speed (black, normal quality, A4/US Letter) * | 25 ppm | Ports & interfaces | |
| Print speed (colour, normal quality, A4/US Letter) | 25 ppm | Direct printing * | ✓ |
| Print speed (ISO/IEC 24734) black | 25 ppm | USB port | ✓ |
| Print speed (ISO/IEC 24734) colour | 25 ppm | Network | |
| Duplex print speed (black, normal quality, A4/US Letter) | 21 ppm | Wi-Fi * | ✓ |
| Duplex print speed (colour, normal quality, A4/US Letter) | 21 ppm | Ethernet LAN * | ✓ |
| Duplex print speed (ISO/IEC 24734) mono | 11 ipm | Security algorithms | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP |
| Duplex print speed (ISO/IEC 24734) colour | 6 ipm | Management protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, Sntp, SLP, WSD, LLTD, Ping |
| Duplex print speed (ISO/IEC 24734, A4) black | 21 ppm | Mobile printing technologies | Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint |
| Duplex print speed (ISO/IEC 24734, A4) colour | 21 ppm | Performance | |
| Time to first page (black, normal) | 5.5 s | Card reader integrated | ✗ |
| Time to first page (colour, normal) | 6 s | Design | |
| Copying | | Product colour * | Black, White |
| Duplex copying * | ✓ | Market positioning * | Home & office |
| Duplex copying mode | Auto | Built-in display * | ✓ |
| Copying * | Colour copying | Display | LCD |
| Scanning | | Display diagonal | 10.9 cm (4.3") |
| Duplex scanning * | ✓ | Touchscreen | ✓ |
| Duplex scanning mode | Auto | Control type | Touch |
| Scanning * | Colour scanning | Colour display | ✓ |
| Optical scanning resolution * | 2400 x 1200 DPI | Power | |
| Scan technology | CIS | Power consumption (average operating) | 19 W |
| Scan to | Cloud | Power consumption (copying) | 19 W |
| Scan speed (black) | 27.5 inch/min | Power consumption (ready) | 9.7 W |
| Scan speed (colour) | 9 inch/min | Power consumption (sleep) | 0.8 W |
| Image formats supported | BMP, JPEG, TIFF, PNG | Power consumption (off) | 0.2 W |
| Document formats supported | PDF | | |

| | | | |
|---|------------------------------|---|---|
| Fax | | Power | |
| Duplex faxing | ✓ | Energy Star Typical Electricity Consumption (TEC) | 0.14 kWh/week |
| Faxing * | Colour faxing | AC input voltage | 220 - 240 V |
| Fax transmission speed | 3 sec/page | AC input frequency | 50 - 60 Hz |
| Modem speed | 33.6 Kbit/s | System requirements | |
| Fax memory | 180 pages | Windows operating systems supported | Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP |
| Auto-redialing | ✓ | | Mac operating systems supported |
| Speed dialling | ✓ | Server operating systems supported | Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003 |
| Fax speed dialling (max numbers) | 100 | | |
| Fax forwarding | ✓ | Weight & dimensions | |
| Fax forwarding to | E-mail, PC | Width | 425 mm |
| Error Correction Mode (ECM) | ✓ | Depth | 500 mm |
| Features | | Height | 350 mm |
| Recommended duty cycle | 200 - 3300 pages per month | Weight | 17.8 kg |
| Maximum duty cycle * | 66000 pages per month | Packaging data | |
| Ink tank system | ✓ | Package width | 560 mm |
| Number of print cartridges * | 4 | Package depth | 500 mm |
| Printing colours * | Black, Cyan, Yellow, Magenta | Package height | 445 mm |
| Page description languages | PCL 3, PCL 5c, PostScript 3 | Package weight | 21.2 kg |
| Printer fonts | PCL, PostScript | Quantity per pack | 1 pc(s) |
| Country of origin | Indonesia | Packaging content | |
| Input & output capacity | | Cartridge(s) included | ✓ |
| Total number of input trays * | 3 | Cables included | AC |
| Total input capacity * | 250 sheets | Drivers included | ✓ |
| Total output capacity * | 125 sheets | Warranty card | ✓ |
| Paper tray 1 input capacity | 250 sheets | Logistics data | |
| Paper tray 2 input capacity | 250 sheets | Harmonized System (HS) code | 84433100 |
| Auto document feeder (ADF) | ✓ | Pallet gross weight | 0 g |
| Auto document feeder (ADF) input capacity | 50 sheets | Products per pallet | 8 pc(s) |
| Maximum input capacity | 550 sheets | Pallet weight (UK) | 0 g |
| Paper handling | | Products per pallet (UK) | 16 pc(s) |
| Maximum ISO A-series paper size * | A4 | Other features | |
| Paper tray media types * | Envelopes, Plain paper | Printing method | Epson PrecisionCore |
| | | Compatible operating systems | Mac OS 10.10.x, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 Bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later, Windows XP Professional x64 Edition |
| | | Ink drop | 3.8 |
| | | Fax polling | ✓ |

Other features

| | |
|-----------------------------|---|
| Print head nozzles | 800 nozzles black, 800 nozzles per colour |
| Supported network protocols | IPv4, IPv6 |



8715946676654

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.