## Viewsonic CDE8630 Signage Display Digitale signage flatscreen 2,18 m (86") LCD 450 cd/m² 4K Ultra HD Zwart Type processor Android 11 24/7

Merk: Viewsonic Artikelcode: CDE8630

Productnaam: CDE8630

Viewsonic CDE8630. Product design: Digitale signage flatscreen. Beeldschermdiagonaal: 2,18 m (86"), Display technologie: LCD, Resolutie:  $3840 \times 2160$  Pixels, Helderheid:  $450 \text{ cd/m}^2$ , HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Inclusief besturingssysteem: Android 11. Kleur van het product: Zwart





Display		Performance	
Panel type LED backlighting type Display diagonal * Display technology * Display resolution * Display brightness * HD type * Touchscreen * Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colours Panel life Native refresh rate Haze rate	ADS Direct-LED 2.18 m (86") LCD 3840 x 2160 pixels 450 cd/m² 4K Ultra HD  x 16:9 8 ms 1200:1 5000:1 178° 178° 1.07 billion colours 50000 h 60 Hz 25%	Purpose * Operating hours (hours/days) HDCP HDCP version  Power  Power consumption (typical) * Power consumption (standby) * Power consumption (max) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale  Computer system  Computer system * Computer system type	100 - 240 V 50 - 60 Hz A to G
Surface hardness  Ports & interfaces	3H	Built-in processor *  Processor frequency	✓ 1.5 GHz
HDMI ports quantity * HDMI version HDMI input ports quantity HDMI output ports quantity DVI port *	3 2.0/2.1 2 1	Processor cores Internal memory On-board graphics card model Internal storage capacity Operating system installed	4 4 GB ARM Mali-G52 32 GB Android 11
USB port * USB ports quantity USB version	✓ 3 2.0/3.2 Gen 1 (3.1 Gen 1)	Weight & dimensions  Display width  Display depth	1930.8 mm 81.6 mm

Ports & interfaces		Weight & dimensions	
USB connector type	USB Type-A, USB Type-C	Display height	1101 mm
Ethernet LAN *	✓	Display weight	43.2 kg
Ethernet LAN (RJ-45) ports	1	Packaging data	
Ethernet LAN data rates	10,100,1000 Mbit/s	Package width	2110 mm
Wi-Fi *	×	Package depth	225 mm
RS-232 interface	✓	Package height	1227 mm
OPS module slot	✓	Package weight	60.8 kg
Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Batteries included	✓
RMS rated power	20 W	Cables included	AC, HDMI, USB Type-C
Design		Mounting kit	✓
Product design *	Digital signage flat panel	Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation	Horizontal/Vertical	Operating relative humidity (H-H)	20 - 80%
Product colour * Screen shape	Black Flat	Certificates	
VESA mounting *	<b>V</b>	Certification	cTUus, FCC, Energy Star 8.0, RoHS, Mexico NOM, Mexico Energy
Panel mounting interface Bezel width (bottom)	800 x 400 mm 1.5 cm	Technical details	
Bezel width (side)	1.5 cm	OPS slot	1
Bezel width (top)	1.5 cm	Other features	
Anti-glare screen	✓	Quick start guide	1
Mounting type	Wall	Quick Start galac	•





766907017502

0766907017502

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.