

## APC AP8681 energiedistributie 24 AC-uitgang(en) 0U Zwart

Merk: APC Artikelcode: AP8681

**Productnaam :** APC AP8681 - Switched & Metered-by-Outlet PDU, 0U, 400V, (21x) C13 & (3x) C19, IEC 309 16A 3Fase

stekker

APC AP8681 - Switched & Metered-by-Outlet PDU, 0U, 400V, (21x) C13 & (3x) C19, IEC 309 16A 3Fase stekker

APC AP8681. PDU types: Gemeten, Metered-by-outlet, Geschakeld, Rackcapaciteit: 0U, Montage: Verticaal. Aantal AC uitgangen: 24 AC-uitgang(en), AC outlet types: C13 stekker, C19 stekker. Lengte snoer: 1,83 m, Certificering: EN 55022 A, EN 55024, EN 61000-3-2, EN 61000-3-3, FCC 15 A, ICES-003, UL, VDE. Monitoring: Stroom, Stroom, Spanning, Outlet controle: Lockout, Recyclen, Uitschakelen, Inschakelen. Nominale input voltage: 400 V, Stroom (max.): 16 A, AC invoer frequentie: 50 - 60 Hz



Design		Power	
PDU types *	Metered, Metered-by-outlet, Switched	Maximum input current per phase  Maximum total current draw per	16 A
Rack capacity *	0U	phase	16 A
Mounting	Vertical	Maximum power	11040 W
Product colour	Black	Weight & dimensions	
Ports & interfaces		Dimensions (WxDxH)	56 x 51 x 1829 mm
AC outlets quantity *	24 AC outlet(s)	Weight	8.23 kg
AC outlet types *	C13 coupler, C19 coupler	Packaging data	
Features		Package dimensions (WxDxH)	162 x 117 x 2038 mm
Cable length	1.83 m	Package weight	10.5 kg
Certification	EN 55022 A, EN 55024, EN 61000-3-2, EN 61000-3-3, FCC 15 A,	Operational conditions	
Certification	61000-3-2. EN 61000-3-3. FCC 15 A.		
Certification	ICES-003, UL, VDE	Operating temperature (T-T)	-5 - 45 °C
Management features		Operating relative humidity (H-H)	5 - 95%
		Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 95% 5 - 95%
Management features	ICES-003, UL, VDE	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	5 - 95% 5 - 95% 0 - 3000 m
Management features Monitoring	ICES-003, UL, VDE  Current, Power, Voltage	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	5 - 95% 5 - 95%
Management features  Monitoring Outlet control	ICES-003, UL, VDE  Current, Power, Voltage	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Technical details	5 - 95% 5 - 95% 0 - 3000 m 0 - 15000 m
Management features  Monitoring Outlet control  Power	ICES-003, UL, VDE  Current, Power, Voltage  Lock-out, Recycle, Turn off, Turn on	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	5 - 95% 5 - 95% 0 - 3000 m
Management features  Monitoring Outlet control  Power  Nominal input voltage *	ICES-003, UL, VDE  Current, Power, Voltage Lock-out, Recycle, Turn off, Turn on	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Technical details	5 - 95% 5 - 95% 0 - 3000 m 0 - 15000 m
Management features  Monitoring Outlet control  Power  Nominal input voltage *  AC input frequency	ICES-003, UL, VDE  Current, Power, Voltage Lock-out, Recycle, Turn off, Turn on  400 V 50 - 60 Hz	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Technical details	5 - 95% 5 - 95% 0 - 3000 m 0 - 15000 m





731304299530

0731304299530



7313042995306

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.