




Brother HL-L9470CDNT laser printer Kleur 2400 x 600 DPI A4

Merk : Brother

Artikelcode: HL-L9470CDNT


Productnaam : HL-L9470CDNT

Brother HL-L9470CDNT. Printtechnologie: Laser, Kleur. Aantal printcartridges: 4, Gebruiksindicatie (maximaal): 150000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 40 ppm, Duplex printen. Beeldscherm: LCD, Kleur van het product: Wit



Printing		Network	
Duplex printing mode	Auto	Near Field Communication (NFC)	✓
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK
Colour *	✓		
Print technology *	Laser	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNT client, LDAP
Duplex printing *	✓		
Maximum resolution *	2400 x 600 DPI		
Print speed (black, normal quality, A4/US Letter) *	40 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNT Client, LDAP
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm		
Warm-up time	20 s	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Time to first page (black, normal)	10 s		
Time to first page (colour, normal)	10 s	Performance	1024 MB
Watermark printing	✓		
Secure printing	✓	Internal memory *	1024 MB
N-up printing	2, 4, 6, 9, 16	Built-in processor	✓
Booklet printing function	✓	Processor frequency	800 MHz
Features		Sound pressure level (printing)	56.5 dB
Maximum duty cycle *	150000 pages per month	Sound pressure level (quiet mode)	53 dB
Recommended duty cycle	0 - 15000 pages per month	Sound power level (printing)	68.8 dB
Printing colours *	Black, Cyan, Magenta, Yellow	Sound power level (standby)	30.2 dB
Number of print cartridges *	4		
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS		
Number of PCL fonts	73		
Number of PostScript fonts	66		

Features		Design	
Number of bitmap fonts	12	Market positioning *	Home & office
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E	Product colour *	White
		Built-in display *	✓
		Display	LCD
		Colour display	✓
		Display diagonal	8.89 cm (3.5")
		Control type	Touch
Input & output capacity		Power	
Total number of input trays *	2	Power consumption (printing) *	770 W
Total input capacity *	1120 sheets	Power consumption (ready)	85 W
Total output capacity *	250 sheets	Power consumption (off)	0.04 W
Paper tray 1 input capacity	520 sheets	Energy Star Typical Electricity Consumption (TEC)	0.662 kWh/week
Paper tray 2 input capacity	500 sheets	AC input voltage	220 - 240 V
Multi-Purpose tray	✓	AC input frequency	50/60 Hz
Multi-Purpose tray input capacity	100 sheets	System requirements	
Paper handling		Windows operating systems supported	✓
Maximum ISO A-series paper size *	A4	Mac operating systems supported	✓
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Linux operating systems supported	✓
		Other operating systems supported	ChromeOS
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operational conditions	
ISO B-series sizes (B0...B9)	B5, B6	Operating temperature (T-T)	10 - 32 °C
Envelopes sizes	C5, Com-10, DL	Storage temperature (T-T)	0 - 40 °C
Custom media width	76.2 - 215.9 mm	Operating relative humidity (H-H)	20 - 80%
Custom media length	127 - 355.6 mm	Storage relative humidity (H-H)	10 - 90%
Paper tray media weight	60 - 230 g/m²	Weight & dimensions	
Multi-Purpose Tray media weight	60 - 230 g/m²	Width	442 mm
Auto Document Feeder (ADF) media weight	60 - 230 g/m²	Depth	541 mm
Ports & interfaces		Height	536 mm
Direct printing *	✓	Weight	35.9 kg
USB port *	✓	Packaging data	
USB 2.0 ports quantity	2	Package width	646 mm
USB connector	USB Type-A / USB Type-B	Package depth	628.2 mm
Optional connectivity	Wireless LAN	Package height	940.5 mm
Network		Package weight	44.2 kg
Wi-Fi *	✗	Packaging content	
Ethernet LAN *	✓	Cartridge(s) included	✓
Cabling technology	10/100/1000Base-T(X)	Included cartridge capacity (black)	12000 pages
Ethernet LAN data rates	10,100,1000 Mbit/s	Included cartridge capacity (CMY)	9000 pages
Wi-Fi Direct	✓	Bundled software	Brother iPrint&Scan, Brother Utilities, Easy setup



4002352013253

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-DEC-2024. Prints or copies of Information are only valid on the printed Publication date