




Brother HL-L9470CDNTT laser printer Kleur 2400 x 600 DPI A4

Merk : Brother

Artikelcode: HL-L9470CDNTT


Productnaam : HL-L9470CDNTT

Brother HL-L9470CDNTT. Printtechnologie: Laser, Kleur. Aantal printcartridges: 4, Gebruiksindicatie (maximaal): 150000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 40 ppm, Duplex printen. Beeldscherm: LCD, Kleur van het product: Wit



Printing		Network	
Duplex printing mode	Auto	Cabling technology	10/100/1000Base-T(X)
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Colour *	✓	Wi-Fi Direct	✓
Print technology *	Laser	Near Field Communication (NFC)	✓
Duplex printing *	✓	Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK
Maximum resolution *	2400 x 600 DPI	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTTP Client, LDAP
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm		
Warm-up time	20 s		
Time to first page (black, normal)	10 s		
Time to first page (colour, normal)	10 s		
Watermark printing	✓		
Secure printing	✓		
N-up printing	2, 4, 6, 9, 16		
Booklet printing function	✓		
Features		Performance	
Maximum duty cycle *	150000 pages per month	Internal memory *	1024 MB
Recommended duty cycle	0 - 15000 pages per month	Internal storage capacity	8 GB
Printing colours *	Black, Cyan, Magenta, Yellow	Built-in processor	✓
Number of print cartridges *	4		
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS		
Number of PCL fonts	73		
Number of PostScript fonts	66		

Features		Performance	
Number of bitmap fonts	12	Processor frequency	800 MHz
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E	Sound pressure level (printing)	56.5 dB
		Sound pressure level (quiet mode)	53 dB
		Sound power level (printing)	68.8 dB
		Sound power level (standby)	30.2 dB
Input & output capacity		Design	
Total number of input trays *	1	Market positioning *	Home & office
Total input capacity *	1620 sheets	Product colour *	White
Total output capacity *	250 sheets	Built-in display *	✓
Paper tray 1 input capacity	520 sheets	Display	LCD
Paper tray 2 input capacity	500 sheets	Colour display	✓
Paper tray 3 input capacity	500 sheets	Display diagonal	8.89 cm (3.5")
Multi-Purpose tray	✓	Control type	Touch
Multi-Purpose tray input capacity	100 sheets	Power	
Paper handling		Power consumption (printing) *	770 W
Maximum ISO A-series paper size *	A4	Power consumption (ready)	85 W
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Power consumption (off)	0.04 W
ISO A-series sizes (A0...A9) *	A4, A5, A6	Energy Star Typical Electricity Consumption (TEC)	0.662 kWh/week
ISO B-series sizes (B0...B9)	B5, B6	AC input voltage	220 - 240 V
Envelopes sizes	C5, Com-10, DL	AC input frequency	50/60 Hz
Custom media width	76.2 - 215.9 mm	System requirements	
Custom media length	127 - 355.6 mm	Windows operating systems supported	✓
Paper tray media weight	60 - 230 g/m ²	Mac operating systems supported	✓
Multi-Purpose Tray media weight	60 - 230 g/m ²	Linux operating systems supported	✓
Auto Document Feeder (ADF) media weight	60 - 230 g/m ²	Other operating systems supported	ChromeOS
Ports & interfaces		Operational conditions	
Direct printing *	✓	Operating temperature (T-T)	10 - 32 °C
USB port *	✓	Storage temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity	2	Operating relative humidity (H-H)	20 - 80%
USB connector	USB Type-A / USB Type-B	Storage relative humidity (H-H)	10 - 90%
Optional connectivity	Wireless LAN	Weight & dimensions	
Network		Width	442 mm
Wi-Fi *	✗	Depth	541 mm
Ethernet LAN *	✓	Height	536 mm
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	12000 pages
		Included cartridge capacity (CMY)	9000 pages
		Bundled software	Brother iPrint&Scan, Brother Utilities, Easy setup



4002352013260

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-DEC-2024. Prints or copies of Information are only valid on the printed Publication date