




## TP-Link Deco X50-Outdoor Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Wit 1 Intern

**Merk :** TP-Link

**Artikelcode:** DECO X50-OUTDOOR(1-PACK)

**Productnaam :** Deco X50-Outdoor

TP-Link Deco X50-Outdoor. Kleur van het product: Wit, Soort antenne: Intern, Producttype: Mesh-systeem. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), Wi-Fi-standaarden: Wi-Fi 6 (802.11ax). Virtual assistant: Amazon Alexa & Google Assistant, Cloud services supported: TP-Link ID. AC invoer voltage: 100-240 V, Ingangsstroom AC-adapter: 0,5 A, AC invoer frequentie: 50/60 Hz. Certificering: CE, FCC, RoHS




Design		Features	
Product type	Mesh system	Port forwarding	✓
Product colour *	White	DHCP client	✓
Antenna type *	Internal	DHCP server	✓
Maximum coverage	230 m²	Universal Plug and Play (UPnP)	✓
Wireless LAN features		Parental control	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Works with Amazon Alexa	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	MU-MIMO technology	✓
Wi-Fi standards	Wi-Fi 6 (802.11ax)	MIMO	✓
WLAN data transfer rate (first band)	2402 Mbit/s	Ports & interfaces	
WLAN data transfer rate (second band)	574 Mbit/s	Ethernet LAN (RJ-45) ports *	1
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Power over Ethernet (PoE)	✓
Security algorithms	WPA, WPA2, WPA3	Ethernet WAN	✓
Number of guest networks (5 GHz)	1	Power	
Number of guest networks (2.4 GHz)	1	AC input voltage	100-240 V
Point-to-point protocol over Ethernet (PPPoE)	✓	AC adapter input current	0.5 A
Dynamic IP	✓	AC input frequency	50/60 Hz
Static IP	✓	Certificates	
IGMP proxy	✓	Certification	CE, FCC, RoHS
IGMP snooping	✓	Operational conditions	
Tagged VLAN	✓	Operating temperature (T-T)	-30 - 60 °C
Dynamic DNS (DDNS)	✓	Storage temperature (T-T)	-40 - 70 °C
Guest access	✓	Operating relative humidity (H-H)	10 - 90%
Apps supported	TP-Link Deco	Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
		Width	110 mm


Features		Weight & dimensions	
Built-in processor	✗	Depth	121.3 mm
Virtual assistant	Amazon Alexa & Google Assistant	Height	215.5 mm
Quality of Service (QoS) support	✓	Packaging content	
Cloud services supported	TP-Link ID	Number of products included	1 pc(s)
		AC adapter included	✓
		Ethernet cable	✓



4897098688564



4897098688571



0840030708565



840030708565

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-FEB-2025. Prints or copies of Information are only valid on the printed Publication date