



DELL Premier oplaadbare muis - MS900

Merk : DELL

Artikelcode: MS900-GR-EMEA

Productnaam : Premier oplaadbare muis - MS900

RF 2.4GHz & Bluetooth 5.1, 128-bit AES, Li-ion 500 mAh, 10 m, 128.4 g

[DELL Premier oplaadbare muis - MS900:](#)

Deze premium muis is ontworpen met een ongekend detailniveau voor optimaal comfort. Uiterst gebruiksvriendelijk dankzij de ergonomische curven, het innovatieve schuifwiel en de krachtige batterij. DELL Premier oplaadbare muis - MS900. Form factor: Rechtshandig. Aansluiting: RF-draadloos + Bluetooth, Bewegingsresolutie: 8000 DPI, Aantal knoppen: 7, Scroll type: Wiel. Stroombron: Batterijen. Kleur van het product: Grafiet



Mouse		Power	
Number of scroll wheels	2	Required charging power (min) *	2.5 W
Scrolling directions	Vertical/Horizontal	Required charging power (max) *	2.5 W
Purpose *	Office	System requirements	
Device interface *	RF Wireless + Bluetooth	Windows operating systems supported	✓
Movement resolution *	8000 DPI	Mac operating systems supported	✓
Scroll type *	Wheel	Linux operating systems supported	✓
Programmable mouse buttons	✓	Mobile operating systems supported	Android
Buttons quantity *	7	Other operating systems supported	ChromeOS
Number of programmable buttons	3	Operational conditions	
Number of movement resolution modes	3	Operating temperature (T-T)	0 - 40 °C
Multi-device support	✓	Storage temperature (T-T)	-40 - 65 °C
Bluetooth version	5.1	Storage relative humidity (H-H)	20 - 90%
Bluetooth	✓	Weight & dimensions	
Design		Width	89.8 mm
Form factor *	Right-hand	Depth	126.7 mm
Ergonomic design	✓	Height	45.8 mm
Product colour *	Graphite	Weight	128.4 g
Surface coloration	Monochromatic	Packaging data	
Ergonomics		Quantity per pack *	1 pc(s)
Wireless range	10 m	Cables included	USB Type-C to USB Type-C
Power		AC adapter included *	✗
Power source *	Batteries	Packaging content	
Rechargeable	✓	Receiver included	✓
Battery type	Built-in battery		
Battery technology	Lithium-Ion (Li-Ion)		

Power

Battery capacity	500 mAh
Service life of battery	3 month(s)
USB Type-C charging port *	✓



5397184790441

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-JAN-2025. Prints or copies of Information are only valid on the printed Publication date