MSI PRO H610M-E moederbord Intel H610 LGA 1700 micro ATX

Merk: MSI Artikelcode: PRO H610M-E

Productnaam: PRO H610M-E


MSI PRO H610M-E. Processorfabrikant: Intel, Processor socket: LGA 1700, Compatibele processors: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 96 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet. Component voor: PC, Moederbord form factor: micro ATX, Moederbord chipset familie: Intel





Processor		Rear panel I/O ports	
	Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel Pentium G LGA 1700 DDR5-SDRAM 4	Rear panel I/O ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity VGA (D-Sub) ports quantity * HDMI ports quantity * HDMI version Headphone outputs	4 2 1 1 1 1 1.4 2
Memory slots type Memory channels	DIMM Dual-channel	Microphone in Network	✓
ECC compatibility Supported memory clock speeds Maximum internal memory *	Non-ECC 5600 MHz 96 GB	Ethernet LAN Ethernet interface type Wi-Fi *	2.5 Gigabit EthernetX
capacities	4GB, 8GB, 16GB, 32GB	Features	
Storage controllers Supported storage drive types Supported storage drive interfaces * RAID support RAID levels	HDD & SSD M.2, SATA III ✓ 0, 1, 5, 10	Motherboard chipset * Audio output channels * Component for * Motherboard form factor * Motherboard chipset family *	Intel H610 7.1 channels PC micro ATX Intel
Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	4 2 4 •	Cooling type Power source type Windows operating systems supported	Active ATX Windows 10, Windows 11
connectors * Number of SATA III connectors * Audio connector Front panel audio connector		Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	2
ATX Power connector (24-pin) CPU fan connector Number of chassis fan connectors EPS power connector (8-pin) Number of COM connectors	✓ ✓ 2 ✓ 2	BIOS BIOS type * BIOS memory size ACPI version	UEFI AMI 256 Mbit 6.4

Internal I/O		Weight & dimensions	
Thunderbolt headers	2	Width	200 mm
		Depth	236.2 mm
		Packaging content	
		Cables included	SATA
		Drivers included	✓



4711377125147

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.