## GIGABYTE B650E AORUS ELITE X AX ICE AMD B650 Socket AM5

Merk: GIGABYTE Artikelcode: B650E A ELITE X ICE

**Productnaam:** B650E AORUS ELITE X AX ICE

GIGABYTE B650E AORUS ELITE X AX ICE. Processorfabrikant: AMD, Processor socket: Socket AM5, Compatibele processors: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 256 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 10. Maximum resolutie: 4096 x 2160 Pixels. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Realtek RTL8125, Top Wi-Fi standard: Wi-Fi 6E (802.11ax)





Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	WiFi-AP antenna jack	2
Processor socket *	Socket AM5	Network	
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000	Ethernet LAN	<b>✓</b>
Supported processor sockets	Series Socket AM5	Ethernet interface type  LAN controller	2.5 Gigabit Ethernet Realtek RTL8125
Memory		Wi-Fi *	✓
Supported memory types * DDR5-SDRAM  Number of memory slots * 4  Memory slots type DIMM		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
	,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-F 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speed 8000 MHz		WLAN controller model	Realtek RTL8852CE
(max) Maximum internal memory * 256 GB		Bluetooth	✓
Unbuffered memory ✓ Maximum internal memory per slot 64 GB		Bluetooth version	5.3
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	AMD B650
Supported storage drive interfaces *	M.2, SATA III	Audio chip	Realtek ALC897
Number of HDDs supported	3	Audio output channels *	7.1 channels
Number of storage drives supported	1 7	Product colour	White
RAID support	<b>v</b> 0, 1, 10	PC health monitoring	Fan, Temperature, Voltage, Water cooling
RAID levels	0, 1, 10	Component for *	PC
Graphics		Motherboard form factor *	ATX
Parallel processing technology	Not supported	Motherboard chipset family *	AMD
support *		Power source type	ATX
Maximum resolution	4096 x 2160 pixels	Windows operating systems	Windows 10 x64, Windows 11 x64
HDCP	<b>/</b>	supported	·
DirectX version  Discrete graphics support	12.0	Expansion slots	

Internal I/O		Expansion slots	
	2		1
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	2	PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	1 3
connectors *	1	1st M.2 largest key size	25110
USB 3.2 Gen 2x2 connectors	1	1st M.2 highest PCI Express	
Number of SATA III connectors *	4	generation	5.0
Front panel audio connector	<b>✓</b>	2nd M.2 largest key size	22110
Front panel connector	✓	2nd M.2 highest PCI Express generation	4.0
ATX Power connector (24-pin)	1	3rd M.2 largest key size	22110
CPU fan connector	✓	3rd M.2 highest PCI Express	
Number of CPU fan connectors	2	generation	4.0
Number of chassis fan connectors	4	BIOS	
EPS power connector (8-pin)	✓	BIOS type *	UEFI AMI
Number of EPS power connectors	1	BIOS memory size	256 Mbit
(8-pin)		ACPI version	5.0
TPM connector	<b>√</b>	Clear CMOS jumper	✓
12V power connector	2	Desktop Management Interface	2.7
Number of water pump connectors	2	(DMI) version	
RGB LED pin header	1	System Management BIOS (SMBIOS) version	2.7
Number of RGB LED pin headers	4	Logistics data	
Rear panel I/O ports		Country of origin	China
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5		_ pe(e)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Battery	2 -
ports quantity *	2	Battery weight Lithium weight per battery	3 g 0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	0.07 g
Ethernet LAN (RJ-45) ports *	1		Lithium-Manganese Dioxide
HDMI ports quantity *	1	Battery technology	(LiMnO2)
HDMI version	2.1	Battery type	CR2032
DisplayPort version	1.4	Packaging data	
Headphone outputs	1	Package width	335 mm
Line-in	✓	Package depth	270 mm
Microphone in	✓	Package height	80 mm
		Package weight	2.45 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)
		, ,	



4719331860554

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.