# iiyama

# iiyama ProLite XUB2493HS-B6 PC-flat panel 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LED Zwart

**Merk :** iiyama          **Productfamilie:** ProLite          **Artikelcode:** XUB2493HS-B6

**Productnaam :** XUB2493HS-B6

iiyama ProLite XUB2493HS-B6. Beeldschermdiagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LED, Beeldoppervlakte: Mat, Responstijd: 0,5 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart

## Display

| | |
|---|---|
| Display diagonal * | 60.5 cm (23.8") |
| Display resolution * | 1920 x 1080 pixels |
| HD type * | Full HD |
| Native aspect ratio * | 16:9 |
| Display technology * | LED |
| Panel type * | IPS |
| Touchscreen * | ✘ |
| Display brightness (typical) | 250 cd/m² |
| Response time * | 0.5 ms |
| Display surface | Matt |
| Screen shape * | Flat |
| Contrast ratio (typical) * | 1300:1 |
| Contrast ratio (dynamic) | 80000000:1 |
| Maximum refresh rate * | 100 Hz |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Display number of colours * | 16.7 million colours |
| Pixel pitch | 0.275 x 0.275 mm |
| Viewable size, horizontal | 52.7 cm |
| Viewable size, vertical | 29.6 cm |
| Digital horizontal frequency | 30 - 115 kHz |
| Display diagonal (metric) | 60.5 cm |
| sRGB coverage (typical) | 96% |
| NTSC coverage (typical) | 72% |

## Performance

| | |
|---|---|
| Flicker-free technology | ✔ |
| Low Blue Light technology | ✔ |

## Ports & interfaces

| | |
|---|---|
| HDCP | ✔ |

## Ergonomics

| | |
|---|---|
| VESA mounting * | ✔ |
| Panel mounting interface | 100 x 100 mm |
| Cable management | ✔ |
| Cable lock slot * | ✔ |
| Cable lock slot type | Kensington |
| Height adjustment * | ✔ |
| Adjustable height (max) | 15 cm |
| Pivot | ✔ |
| Pivot angle | 0 - 90° |
| Swivelling | ✔ |
| Swivel angle range | 45 - 90° |
| Tilt angle range | 5 - 23° |
| On Screen Display (OSD) | ✔ |
| On Screen Display (OSD) languages | German, Dutch, English, French, Italian, Japanese, Polish, Russian |

## Power

| | |
|---|---|
| Energy efficiency class (SDR) * | E |
| Power consumption (typical) * | 16 W |
| Power consumption (standby) * | 0.5 W |
| Power consumption (off) | 0.3 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| European Product Registry for Energy Labelling (EPREL) code | 1873044 |

## Multimedia

| | |
|---|---|
| Number of speakers | 2 |
| RMS rated power | 4 W |
| Built-in speaker(s) * | ✔ |

## Design

| | |
|---|---|
| Market positioning * | Business |
| Product colour * | Black |
| Feet colour | Black |

## Ports & interfaces

| | |
|---|---|
| HDMI * | ✔ |
| HDMI ports quantity | 1 |
| DisplayPorts quantity | 1 |
| Headphone out * | ✔ |
| Headphone outputs | 1 |

## Weight & dimensions

| | |
|---|---|
| Width (with stand) | 539.5 mm |
| Depth (with stand) | 209.5 mm |
| Height (with stand) | 493 mm |
| Weight (with stand) | 5.1 kg |

## Packaging content

| | |
|---|---|
| Stand included | ✔ |
| Cables included | AC, HDMI |
| Quick start guide | ✔ |

## Sustainability

| | |
|---|---|
| Sustainability compliance | ✔ |
| Sustainability certificates | ErP, TCO |

## Other features

| | |
|---|---|
| Compliance certificates | CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE |

4948570123841