

Zyxel LTE7480-M804 wireless router Gigabit Ethernet Single-band (2.4 GHz) 4G Wit

Merk : Zyxel

Artikelcode: LTE7480-M804-EUZN1F


Productnaam : LTE7480-M804

Zyxel LTE7480-M804. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Netwerkstandaard: IEEE 802.2, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u. Mobile network generation: 4G. Kleur van het product: Wit, LED-indicatoren: LTE, Status, WLAN. Certificering: CE, WEEE



WAN connection		Beveiliging	
SIM-kaartsleuf *	✓	Network address translation (NAT)	✓
3G/4G USB modem compatibiliteit *	✓	Protocollen	
Draadloos LAN		DHCP server	✓
Wifi-band *	Single-band (2.4 GHz)	Design	
Wifi-standaard *	Wi-Fi 4 (802.11n)	Kleur van het product	Wit
WLAN gegevensoverdrachtsnelheid (max) *	300 Mbit/s	LED-indicatoren	LTE, Status, WLAN
Wi-Fi-standaarden	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Certificaten	
Netwerk		Certificering	CE, WEEE
Ethernet LAN *	✓	Inhoud van de verpakking	
Interfacetype Ethernet LAN *	Gigabit Ethernet	Meegeleverde kabels	Sector, LAN (RJ-45)
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Garantiekaart	✓
Netwerkstandaard	IEEE 802.2, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u	Snelstartgids	✓
Port forwarding	✓	Antenne	
Poortactivering	✓	Antenne-ontwerp *	Intern
Dynamic DNS (DDNS)	✓	Antenne versterkingsniveau (max)	7 dBi
VPN-doorvoer	✓	Energie	
Mobiel netwerken		Type stroombron *	Power over Ethernet (PoE)
Generatie mobiel internet	4G	Power over Ethernet (PoE)	✓
3G	✓	Eisen aan de omgeving	
4G	✓	Temperatuur, in bedrijf	-40 - 60 °C
Poorten & interfaces		Temperatuur bij opslag	-40 - 70 °C
Aantal Ethernet LAN (RJ-45)-poorten *	1	Relatieve luchtvochtigheid, in bedrijf	5 - 95 procent
USB-poort *	✗	Luchtvochtigheid bij opslag	5 - 95 procent
Beheerfuncties		Gewicht en omvang	
Reset button	✓	Breedte	254 mm
Beveiliging		Diepte	255 mm
Firewall	✓	Hoogte	59 mm
		Gewicht	1,1 kg

Beveiliging		Verpakking	
DoS aanval preventie	✓	Aantal inbegrepen producten	1 stuk(s)
MAC adres filtering	✓	Logistics data	
IP-adresfilter	✓	Code geharmoniseerd systeem (HS) 85176990	
URL- filtering	✓		



4718937610846

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-OCT-2024. Prints or copies of Information are only valid on the printed Publication date