

DELL P Series P2425H PC-flat panel 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart

Merk : DELL Productfamilie: P Series Artikelcode: DELL-P2425H

Productnaam: P2425H

- 61.0cm (24") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

61.0cm (24") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425H PC-flat panel 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart:

Altijd productief. Profiteer van meer visueel comfort en naadloze connectiviteit met deze FHD-monitor, gecertificeerd door TÜV voor oogcomfort van 4 sterren.

DELL P Series P2425H. Beeldschermdiagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LCD, Responstijd: 8 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen * Display brightness (typical)	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LCD IPS ✓ LED X 250 cd/m²	Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	✓ -90 - 90° ✓ -45 - 45° ✓ -5 - 21° × ✓
Response time *	8 ms	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	С
Screen shape *	Flat	Energy efficiency class (HDR) *	Not available
Supported graphics resolutions Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) 480p, 576p, 720p, 1080p 1500:1 100 Hz 178° 178° 16.7 million colours 5 ms 0.2745 x 0.2745 mm 92.53 ppi	Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	12 kWh 11.7 W 0.3 W 65 W 0.3 W 100 - 240 V 50/60 Hz 1.5 A Internal A to G 1865623
Horizontal scan range	30 - 110 kHz	Operational conditions	
Vertical scan range Viewable size, horizontal	48 - 100 Hz 52.7 cm	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C

Display		Operational conditions	
Viewable size, vertical Viewable size diagonal Surface hardness sRGB coverage (typical)	29.6 cm 60.5 cm 3H 99%	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	10 - 80% 5 - 90% 0 - 5000 m 0 - 12192 m
Dell ComfortView technology	✓	Weight & dimensions	
Performance		Width (with stand)	538.6 mm
NVIDIA G-SYNC *	×	Depth (with stand) Height (with stand)	181.8 mm 364 mm
AMD FreeSync *	×	Weight (with stand)	4.61 kg
Flicker-free technology	✓	Width (without stand)	538.6 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
Windows operating systems supported	Windows 10, Yes	Height (without stand)	314.2 mm
Mac operating systems supported	MacOS	Weight (without stand)	3.12 kg
Multimedia		Bezel width (side)	5.8 mm
Built-in speaker(s) *	X	Bezel width (top) Bezel width (bottom)	5.8 mm 1.2 cm
Built-in camera *	×	, ,	1.2 (11)
	^	Packaging data	C 70 los
Design Product colour *	Black	Package weight USB cable length	6.78 kg 1.8 m
Front bezel colour	Black	Packaging content	
Feet colour	Grey	Stand included	1
Ports & interfaces		Cables included	AC, DisplayPort, USB Type-A, USB Type-A to USB Type-B
Built-in USB hub *	✓	Quick start guide	√
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
Number of USB Type-B upstream ports quantity	1	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports	1	Sustainability compliance	✓
quantity	1	Sustainability certificates	TÜV mark
USB Power Delivery (USB PD)	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Power Delivery up to	15 W	Carbon footprint	
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e)	138
HDMI * HDMI ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	67
HDMI version	1.4	Carbon emissions, logistics (kg of	10
DisplayPorts quantity	1	CO2e)	10
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	58
Headphone out *	×	Carbon emissions, end-of-life (kg of	3
HDCP	✓	CO2e)	5
HDCP version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	80
AC (power) in	✓	PAIA version	GaBi version 1, 2024
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM)	
Panel mounting interface	100 x 100 mm	compatibility	✓
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	√		
Adjustable height (max)	15 cm		





5397184821701

0884116468684



884116468684

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.