

DELL P Series P2425 PC-flat panel 61,1 cm (24.1") 1920 x 1200 Pixels WUXGA LCD Zwart

Merk : DELL

Productfamilie: P Series

Artikelcode: DELL-P2425

Productnaam : P2425

- 61.1cm (24.07") WUXGA 1920 x 1200 LED IPS

- 8ms, 16:10, 300cd/m², 1500:1

- USB, VGA, HDMI, DisplayPort

61.1cm (24.07") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425 PC-flat panel 61,1 cm (24.1") 1920 x 1200 Pixels WUXGA LCD Zwart:

Deze 16:10-monitor is door TÜV gecertificeerd voor 4-sterren oogcomfort en biedt verbeterd visueel comfort, naadloze connectiviteit en een productiviteitsboost.


DELL P Series P2425. Beeldschermdiagonaal: 61,1 cm (24.1"), Resolutie: 1920 x 1200 Pixels, HD type: WUXGA, Display technologie: LCD, Responstijd: 8 ms, Oorspronkelijke beeldverhouding: 16:10, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Built-in USB hub. VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





| Display | | Ergonomics | |
|--------------------------------|--|---|---------------|
| Display diagonal * | 61.1 cm (24.1") | Swivelling | 1 |
| Display resolution * | 1920 x 1200 pixels | Swivel angle range | -45 - 45° |
| HD type * | WUXGA | Tilt adjustment | 1 |
| Native aspect ratio * | 16:10 | Tilt angle range | -5 - 21° |
| Display technology * | LCD | On Screen Display (OSD) | 1 |
| Panel type * | IPS | Plug and Play | |
| LED backlight | Image: A second s | LED indicators | · · |
| Backlight type | LED | LED Indicators | · |
| Touchscreen * | × | Power | |
| Display brightness (typical) | 300 cd/m ² | Energy efficiency class (SDR) * | D |
| Response time * | 8 ms | Energy efficiency class (HDR) * | Not available |
| Anti-glare screen | 1 | Energy consumption (SDR) per 1000 hours * | 14 kWh |
| Screen shape * | Flat | Power consumption (typical) * | 13.6 W |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 | Power consumption (typical) * | 0.3 W |
| | | Power consumption (max) | 74 W |
| | | Power consumption (max) | 0.3 W |
| | x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA) | AC input voltage | 100 - 240 V |
| Contrast ratio (typical) * | 1500:1 | AC input frequency | 50/60 Hz |
| Maximum refresh rate * | 100 Hz | Input current | 1.5 A |
| Viewing angle, horizontal | 178° | Power supply type | Internal |
| Viewing angle, vertical | 178° | Energy efficiency scale | A to G |
| Display number of colours * | 16.7 million colours | European Product Registry for | 1870858 |
| Response time (fast) | 5 ms | Energy Labelling (EPREL) code | 10,0030 |
| Pixel pitch | 0.27 x 0.27 mm | Operational conditions | |
| Pixel density | 94.07 ppi | Operating temperature (T-T) | 0 - 40 °C |
| Horizontal scan range | 30 - 83 kHz | Storage temperature (T-T) | -20 - 60 °C |
| Vertical scan range | 48 - 76 Hz | Operating relative humidity (H-H) | 10 - 80% |
| Viewable size, horizontal | 51.8 cm | Storage relative humidity (H-H) | 5 - 90% |

| Display | | Operational conditions | |
|---|---|--|--|
| Viewable size, vertical | 32.4 cm | Operating altitude | 0 - 5000 m |
| Viewable size diagonal | 61.1 cm | Non-operating altitude | 0 - 12192 m |
| Display diagonal (metric) | 61 cm | Weight & dimensions | |
| Surface hardness | 3H | Width (with stand) | 531.8 mm |
| sRGB coverage (typical) | 99% | Depth (with stand) | 181.8 mm |
| Dell ComfortView technology | 1 | Height (with stand) | 364 mm |
| Performance | | Weight (with stand) | 4.66 kg |
| NVIDIA G-SYNC * | × | Width (without stand) | 531.8 mm |
| AMD FreeSync * | × | Depth (without stand) Height (without stand) | 50 mm 343.7 mm |
| Flicker-free technology | ✓ | Weight (without stand) | 3.15 kg |
| Windows operating systems | Windows 10, Yes | Bezel width (side) | 6.7 mm |
| supported Mac operating systems supported | MacOS | Bezel width (top) | 6.7 mm |
| | MacOS | Bezel width (bottom) | 1.3 cm |
| Multimedia | | Packaging data | |
| Built-in speaker(s) * | × | Package weight | 6.75 kg |
| Built-in camera * | × | USB cable length | 1.8 m |
| Design | | Packaging content | |
| Product colour * | Black | Stand included | 1 |
| Front bezel colour | Black | Cables included | DisplayPort, HDMI, USB |
| Feet colour | Grey | Quick start guide | Image: A second s |
| Ports & interfaces | | DisplayPort cable length | 1.8 m |
| Built-in USB hub * | 1 | HDMI cable length | 1.8 m |
| Number of upstream ports | 1 | Sustainability | |
| Number of USB Type-B upstream ports quantity | 1 | Sustainability compliance | 1 |
| USB Type-A downstream ports | 3 | Sustainability certificates | ENERGY STAR, TCO |
| quantity | 2 | Doesn't contain | Arsenic, Mercury, PVC/BFR |
| USB Type-C downstream ports quantity | 1 | Carbon footprint | |
| USB Power Delivery (USB PD) | 1 | Total carbon footprint (kg of CO2e) | 162 |
| USB Power Delivery up to | 15 W | Carbon emissions, manufacturing | 79 |
| VGA (D-Sub) ports quantity | 1 | (kg of CO2e) Carbon emissions, logistics (kg of | |
| HDMI * | Image: A set of the set of the | CO2e) | 13 |
| HDMI ports quantity | 1 | Carbon emissions, energy usage (kg | 67 |
| HDMI version | 1.4 | of CO2e) | |
| DisplayPorts quantity | 1 | Carbon emissions, end-of-life (kg of CO2e) | 4 |
| DisplayPort version Headphone out * | 1.2 × | Total carbon emissions, w/o use | 95 |
| HDCP | ~ | phase (kg of CO2e) PAIA version | GaBi version 1, 2024 |
| HDCP version | 1.4 | | |
| AC (power) in | ✓ | Other features | |
| Ergonomics | | Compliance certificates | RoHS, TÜV mark |
| VESA mounting * | 1 | Brand-specific features | |
| Panel mounting interface | 100 x 100 mm | Dell Display Manager (DDM) compatibility | ✓ |
| Cable management | ✓ | | |
| Cable lock slot * | | | |
| Cable lock slot type | Kensington | | |
| Height adjustment * | ✓ | | |
| Adjustable height (max) | 15 cm | | |
| Pivot | 1 | | |
| Pivot angle | -90 - 90° | | |
| | | | |





5397184821671

0884116468639



884116468639

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.