



DELL Pro 24 Plus USB-C Hub Monitor P2425E PC-flat panel 61,1 cm (24.1") 1920 x 1200 Pixels WUXGA LCD Zwart

Merk : DELL

Artikelcode: DELL-P2425E

Productnaam : Pro 24 Plus USB-C Hub Monitor P2425E

- 61.1cm (24.07") WUXGA 1920 x 1200 LED IPS
- 8ms, 16:10, 300cd/m², 1500:1
- USB, HDMI, DisplayPort
61.1cm (24.07") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1


DELL Pro 24 Plus USB-C Hub Monitor P2425E PC-flat panel 61,1 cm (24.1") 1920 x 1200 Pixels WUXGA LCD Zwart:

Deze 16:10 hubmonitor is door TÜV gecertificeerd met 4 sterren voor oogcomfort. De monitor biedt verbeterd visueel comfort en tot 90 W aan vermogen.
DELL Pro 24 Plus USB-C Hub Monitor P2425E. Beeldscherm diagonaal: 61,1 cm (24.1"), Resolutie: 1920 x 1200 Pixels, HD type: WUXGA, Display technologie: LCD, Responstijd: 8 ms, Oorspronkelijke beeldverhouding: 16:10, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart




Display		Ergonomics	
Display diagonal *	61.1 cm (24.1")	Pivot angle	-90 - 90°
Display resolution *	1920 x 1200 pixels	Swivelling	✓
HD type *	WUXGA	Swivel angle range	-45 - 45°
Native aspect ratio *	16:10	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	IPS	On Screen Display (OSD)	✓
LED backlight	✓	Plug and Play	✓
Backlight type	LED	LED indicators	✓
Touchscreen *	✗		
Display brightness (typical)	300 cd/m ²		
Response time *	8 ms		
Anti-glare screen	✓		
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)		
Supported video modes	480p, 576p, 720p, 1080p		
Contrast ratio (typical) *	1500:1		
Maximum refresh rate *	100 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Response time (fast)	5 ms		
Pixel pitch	0.27 x 0.27 mm		
Pixel density	94.07 ppi		
Horizontal scan range	30 - 122 kHz		
Vertical scan range	48 - 100 Hz		
		Power	
		Energy efficiency class (SDR) *	D
		Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	15 kWh
		Power consumption (typical) *	15 W
		Power consumption (standby) *	0.3 W
		Power consumption (max)	190 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Input current	2 A
		Power supply type	Internal
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	1870769
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%

Display		Operational conditions	
Viewable size, horizontal	51.8 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	32.4 cm	Operating altitude	0 - 5000 m
Viewable size diagonal	61.1 cm	Non-operating altitude	0 - 12192 m
Surface hardness	3H	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	531.8 mm
Dell ComfortView technology	✓	Depth (with stand)	181.8 mm
Performance		Height (with stand)	364 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	5.02 kg
AMD FreeSync *	✗	Width (without stand)	531.8 mm
Flicker-free technology	✓	Depth (without stand)	50 mm
Low Blue Light technology	✓	Height (without stand)	343.7 mm
Windows operating systems supported	Windows 10, Yes	Weight (without stand)	3.51 kg
Mac operating systems supported	MacOS	Bezel width (side)	6.7 mm
Multimedia		Bezel width (top)	6.7 mm
Built-in speaker(s) *	✗	Bezel width (bottom)	1.3 cm
Built-in camera *	✗	Packaging data	
Design		Package weight	7.12 kg
Product colour *	Black	USB cable length	1 m
Front bezel colour	Black	Packaging content	
Feet colour	Grey	Stand included	✓
Ports & interfaces		Cables included	AC, DisplayPort, USB
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	3	Sustainability compliance	✓
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-C DisplayPort Alternate Mode	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Power Delivery (USB PD)	✓	Carbon footprint	
USB Power Delivery up to	90 W	Total carbon footprint (kg of CO2e)	179
HDMI *	✓	Carbon emissions, manufacturing (kg of CO2e)	87
HDMI ports quantity	1	Carbon emissions, logistics (kg of CO2e)	13
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	74
DisplayPorts quantity	2	Carbon emissions, end-of-life (kg of CO2e)	5
DisplayPort version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	105
Headphone out *	✗	PAIA version	GaBi version 1, 2024
HDCP	✓	Other features	
HDCP version	1.4	RJ-45 ports quantity	1
AC (power) in	✓	Compliance certificates	RoHS, TÜV mark
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM) compatibility	✓
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		



5397184821688



0884116468653



884116468653

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date