

DELL S Series SE2225H LED display 54,5 cm (21.4") 1920 x 1080 Pixels Full HD LCD Zwart

Merk : DELL Productfamilie: S Series Artikelcode: DELL-SE2225H

Productnaam: SE2225H

- 54.5cm (21.45") Full HD 1920 x 1080 Direct LED VA
- 8ms, 16:9, 250cd/m², 3000:1
- VGA, HDMI

54.5cm (21.45") Full HD 1920 x 1080 Direct LED VA, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL S Series SE2225H LED display 54,5 cm (21.4") 1920 x 1080 Pixels Full HD LCD Zwart:

Voer uw dagelijkse taken in een handomdraai uit met deze 21,5-inch monitor die door TÜV Rheinland® is gecertificeerd voor oogcomfort van 3 sterren.

DELL S Series SE2225H. Beeldschermdiagonaal: 54,5 cm (21.4"), Resolutie: $1920 \times 1080 \text{ Pixels}$, HD type: Full HD, Display technologie: LCD, Responstijd: 8 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. VESA-montage. Kleur van het product: Zwart





Display		Ergonomics	
Display diagonal *	54.5 cm (21.4")	Cable management	✓
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Height adjustment *	×
Native aspect ratio *	16:9	Pivot	X
Display technology *	LCD		
Panel type *	VA	Swivelling	×
LED backlight	✓	Tilt adjustment	✓
Backlight type	Direct LED	Tilt angle range	-5 - 21°
Touchscreen *	×	On Screen Display (OSD)	✓
Display brightness (typical)	250 cd/m ²	Plug and Play	✓
Response time *	8 ms	LED indicators	✓
Response time measurement type	GTG (Gray to Gray)	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	D
Screen shape *	Flat	Energy efficiency class (HDR) *	Not available
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024	Energy consumption (SDR) per 1000 hours *	12 kWh
Supported grapines resolutions	(SXGA), 1280 x 720 (HD 720), 1600	Power consumption (typical) *	11.6 W
	x 900, 1920 x 1080 (HD 1080)	Power consumption (standby) *	0.3 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (max)	19 W
Contrast ratio (typical) *	3000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	75 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50/60 Hz
Viewing angle, vertical	178°	Input current	0.7 A
Display number of colours *	16.7 million colours	Power supply type	Internal
Response time (fast)	5 ms	Energy efficiency scale	A to G
Pixel pitch	0.2493 x 0.2493 mm	Operational conditions	
Pixel density	103 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 84 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	50 - 76 Hz	Operating relative humidity (H-H)	10 - 80%
Viewable size, horizontal	47.9 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	26 cm	Operating altitude	0 - 5000 m
Sync-on-green (SOG)	✓	- i	

Display		Operational conditions	
Display diagonal (metric)	54.48 cm ×	Non-operating altitude	0 - 12192 m
High Dynamic Range (HDR) supported		Weight & dimensions	
Surface hardness	3H	Width (with stand)	504.3 mm
NTSC coverage (typical)	83%	Depth (with stand)	178.8 mm
Dell ComfortView technology	✓	Height (with stand)	384.1 mm
Performance		Weight (with stand) Width (without stand)	2.94 kg 504.3 mm
NVIDIA G-SYNC *	×	Depth (without stand)	49.2 mm
AMD FreeSync *	×	Height (without stand)	295.4 mm
Flicker-free technology	✓	Weight (without stand)	2.26 kg
Low Blue Light technology	✓	Bezel width (side)	1.28 cm
Multimedia		Bezel width (top)	1.28 cm
		Bezel width (bottom)	1.69 cm
Built-in speaker(s) *	X	Packaging data	
Built-in camera *	X	Package weight	4.11 kg
Design		Packaging content	
Market positioning *	Home	Stand included	✓
Product colour *	Black	Cables included	AC, HDMI
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	X	Sustainability	
VGA (D-Sub) ports quantity	1	Sustainability certificates	ENERGY STAR
HDMI *	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI ports quantity HDMI version	1 1.4	Other features	
Headphone out *	×	Compliance certificates	RoHS
HDCP	✓	Certification	TÜV Rheinland Eye Comfort 3.0
HDCP version	1.4	Brand-specific features	
Network		Dell Display Manager (DDM) compatibility	✓
Wi-Fi	×		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



5397184822203

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.