

Philips 5000 series 24B2G5301/00 PC-flat panel 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart

Merk : Philips

Productfamilie: 5000 series

Artikelcode: 24B2G5301/00

Productnaam : 24B2G5301/00

Business monitor 24B2G5301 LCD-monitor


Philips 5000 series 24B2G5301/00 PC-flat panel 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart:

Deze monitor is uiterst energiezuinig. De LightSensor en PowerSensor 2 zorgen er samen voor een zuinige monitor die over allerlei functies beschikt die taken eenvoudiger maken.
Philips 5000 series 24B2G5301/00. Beeldschermdiagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LCD, Responstijd: 4 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	15 cm
LED backlight	✓	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	300 cd/m²	Swivel angle range	-180 - 180°
Response time *	4 ms	Tilt adjustment	✓
Response time measurement type	GTG (Gray to Gray)	Tilt angle range	-5 - 35°
Anti-glare screen	✓	Picture-in-Picture	✓
Screen shape *	Flat	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1500:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (dynamic)	5000000:1		
Dynamic contrast ratio marketing name	SmartContrast		
Maximum refresh rate *	60 Hz	Number of OSD languages	21
Viewing angle, horizontal	178°	Plug and Play	✓
Viewing angle, vertical	178°	LED indicators	Operation, Stand-by
Display number of colours *	16.7 million colours	Power	
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency class (SDR) *	C
Pixel density	93 ppi	Energy efficiency class (HDR) *	Not available
Horizontal scan range	30 - 115 kHz	Energy consumption (SDR) per 1000 hours *	12 kWh
Vertical scan range	48 - 100 Hz	Power consumption (typical) *	14.18 W
Viewable size, horizontal	52.7 cm		
Viewable size, vertical	29.6 cm		
Display diagonal (metric)	60.47 cm		

Display		Power	
DDC/CI	✓	Power consumption (standby) *	0.3 W
Haze rate	25%	Power consumption (off)	0.3 W
Surface hardness	3H	Power consumption (PowerSave)	11.9 W
Colour gamut standard	NTSC, sRGB	AC input voltage	100 - 240 V
sRGB coverage (typical)	110%	AC input frequency	50/60 Hz
NTSC coverage (typical)	96%	Power supply type	Internal
Display sRGB	✓	Energy efficiency scale	A to G
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✗	Storage temperature (T-T)	-20 - 60 °C
Component video sync	Separate sync, Sync-on-green (SOG)	Operating relative humidity (H-H)	20 - 80%
Flicker-free technology	✓	Operating altitude	0 - 3658 m
		Non-operating altitude	3658 - 12192 m
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	540 mm
RMS rated power	6 W	Depth (with stand)	232 mm
Built-in speaker(s) *	✓	Height (with stand)	501 mm
Built-in camera *	✗	Weight (with stand)	5.61 kg
		Width (without stand)	540 mm
		Depth (without stand)	56 mm
		Height (without stand)	324 mm
		Weight (without stand)	3.89 kg
Design		Packaging data	
Market positioning *	Business	Package width	615 mm
Product colour *	Black	Package depth	139 mm
Front bezel colour	Black	Package height	385 mm
Feet colour	Silver	Package weight	7.84 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Stand included	✓
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
USB upstream port type	USB Type-C	Manual	✓
Number of USB Type-C upstream ports quantity	2		
USB Type-A downstream ports quantity	4		
USB Type-C downstream ports quantity	1		
USB Type-C DisplayPort Alternate Mode	✓		
USB Power Delivery (USB PD)	✓		
USB Power Delivery up to	100 W		
VGA (D-Sub) ports quantity	1		
HDMI *	✓		
HDMI ports quantity	1		
HDMI version	1.4		
DisplayPorts quantity	1		
DisplayPort version	1.4		
Audio output	✓		
Built-in KVM switch	✓		
KVM switch ports quantity	2		
HDCP	✓		
HDCP version	1.4		
Network		Sustainability	
Ethernet LAN	✓	Sustainability certificates	ENERGY STAR, EPEAT
		Doesn't contain	Mercury, PVC/BFR
		Other features	
		HBR3 support	✓
		Picture-by-Picture (PbP)	✓
		Exterior finish type	Textured
		Picture enhancement	SmartImage
		Recyclable packaging material	100%
		Regulatory Approvals	CB, CE Mark, TUV/GS, TUV Ergo, TCO Certified, UKCA, EMF, FCC, ICES-003
		Heavy metals free	Hg (mercury)
		Adaptive synchronisation	✓
		EasyRead mode	✓
		(cdm) Software / function	SmartControl
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	70000 h
		Recycling data	
		Post-consumer recycled plastic	85%



8721038001747

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-DEC-2024. Prints or copies of Information are only valid on the printed Publication date