

Lenovo ThinkPad T14s Intel Core Ultra 7 155U Laptop 35,6 cm (14") WUXGA 32 GB LPDDR5x-SDRAM 1 TB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Zwart

Merk: Lenovo Productfamilie: ThinkPad Artikelcode: 21LS002HMH

Productnaam: T14s

- Intel Core Ultra 7 155U, 12C (2P + 8E + 2LPE)/14T, Max Turbo up to 4.8GHz, 12MB
- 14" WUXGA (1920x1200) IPS 400nits 100% sRGB 60Hz Low Power
- 32GB LPDDR5x-7467
- 1TB SSD M.2 2280 PCIe 4.0x4 NVMe Opal 2.0
- Intel Graphics
- Windows 11 Pro

Intel Core Ultra 7 155U, 12C (2P + 8E + 2LPE)/14T, Max Turbo up to 4.8GHz, 12MB, 32GB LPDDR5x-7467, 1TB SSD M.2 2280 PCIe 4.0x4 NVMe Opal 2.0, 14" WUXGA (1920x1200) IPS 400nits 100% sRGB 60Hz Low Power, Intel Graphics, Intel Wi-Fi 6E AX211 11ax 2x2 + BT5.3, 5.0MP + IR Discrete with Privacy Shutter, Windows 11 Pro





- Al-aangedreven productiviteit dankzij de Intel® Core™ Ultra-processor
- 14" ultradunne, lichtgewicht en krachtige laptop voor professioneel gebruik
- Aanpasbaar en te upgraden naargelang je werk
- Verbeterde routine-efficiëntie met verbeterd thermisch ontwerp en levensduur van de batterij





| Design | | Camera | |
|---|---|---|---|
| Colour name Product type * Product colour * Form factor * Housing material | Black Laptop Black Clamshell Aluminium, Carbon fibre | Front camera Front camera resolution (numeric) Infrared (IR) camera Privacy camera Privacy type | ✓ 5 MP ✓ ✓ Privacy shutter |
| Display | | Network | • |
| Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical) | 35.6 cm (14") 1920 x 1200 pixels X WUXGA IPS 16:10 400 cd/m² sRGB 100% 60 Hz 800:1 | Mobile network generation 4G standard Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Bluetooth Bluetooth version Near Field Communication (NFC) WWAN | 4G LTE Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) ✓ 2x2 Intel Wi-Fi 6E AX211 Intel X ✓ Installed |
| Processor | | WWAN controller | Quectel EM061K-GL |
| Processor manufacturer * Processor family * | Intel Intel Core Ultra 7 | Ports & interfaces | |
| Processor generation Processor model * Processor cores Processor threads Processor boost frequency Performance cores | Intel® Core™ Ultra (Series 1) 155U 12 14 4.8 GHz | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 | 2 1 2.1 2 |

| Processor | | Ports & interfaces | |
|---|--------------------------------|---|---|
| Efficient cores | 8 | Combo headphone/mic port | ✓ |
| Low Power Efficient-cores | 2 | USB Type-C DisplayPort Alternate | ✓ |
| Performance-core Max Turbo Frequency | 4.8 GHz | Mode | |
| Efficient-core Max Turbo Frequency | 3.8 GHz | USB Sleep-and-Charge | 1 |
| Low Power Efficient-core Max Turbo | 2.1 GHz | USB Sleep-and-Charge ports | 1 |
| Frequency | 2.1 GHZ | Performance | |
| Performance-core base frequency | 1.7 GHz | Motherboard chipset | Intel SoC |
| Efficient-core base frequency | 1.2 GHz | Keyboard | |
| Low Power Efficient-core Base Frequency | 700 MHz | Pointing device | ThinkPad UltraNav |
| Processor cache | 12 MB | Keyboard language | English |
| Processor cache type | Smart Cache | Numeric keypad * | × |
| Processor base power | 15 W | Keyboard backlit | ✓ |
| Maximum turbo power | 57 W | Spill-resistant keyboard | ✓ |
| Neural processor unit (NPU) | | Software | |
| Neural processor unit (NPU) | Intel Al Boost | Operating system architecture | 64-bit |
| Maximum frequency NPU | 1.4 GHz | | Dutch, French, English, Italian, |
| Sparsity support | ✓ | Operating system language | German |
| Windows Studio effects support | ✓ | Trial software | Intel Connectivity Performance Suite |
| Al datatype support on NPU | FP16, FP32, Int8 | Operating system installed * | Windows 11 Pro |
| Al software frameworks supported | DirectML, ONNX RT, OpenVINO, | | Intel Connectivity Performance |
| by NPU | Windows ML | Bundled software | Suite |
| Memory | | Battery | |
| Internal memory * | 32 GB | Battery technology | Lithium Polymer (LiPo) |
| Internal memory type | LPDDR5x-SDRAM | Battery capacity * | 58 Wh |
| Memory clock speed | 6400 MHz | Fast charging | ✓ |
| Memory form factor Maximum internal memory * | On-board 32 GB | Power | |
| Memory channels | Dual-channel | | 65 W |
| • | Dual-Charmer | AC adapter power AC adapter frequency | 50/60 Hz |
| Storage | | AC adapter input voltage | 100 - 240 V |
| Total storage capacity * | 1 TB | USB Power Delivery (USB PD) * | ✓ |
| Storage media * Total SSDs capacity | SSD 1 TB | , , , | |
| Number of SSDs installed | 1 | Security | |
| SSD capacity | 1 TB | Cable lock slot | V |
| SSD interface | PCI Express 4.0 | Cable lock slot type | Kensington |
| NVMe | ✓ | Fingerprint reader | √ |
| SSD form factor | M.2 | Smart card reader | V |
| Optical drive type * | x | Windows Hello | ✓ |
| Card reader integrated | x | Trusted Platform Module (TPM) | ✓ |
| Graphics | | Trusted Platform Module (TPM) version | 2.0 |
| Discrete graphics card model * | Not available | Password protection | ✓ |
| On-board graphics card * | ✓ | Password protection type | BIOS, Power on, Supervisor |
| On-board GPU manufacturer | Intel | Operational conditions | |
| Discrete graphics card * | X | • | E 25 °C |
| On-board graphics card family | Intel Graphics | Operating temperature (T-T) Storage temperature (T-T) | 5 - 35 °C 5 - 43 °C |
| On-board graphics card model * | Intel Graphics | Operating relative humidity (H-H) | 8 - 95% |
| Audio | • | Storage relative humidity (H-H) | 5 - 95% |
| | Paaltak ALC2207 | Maximum shipping altitude | 3048 m |
| Audio chip Audio system | Realtek ALC3287 Dolby Audio | Certificates | |
| Number of built-in speakers | 2 | Compliance certificates | RoHS |
| Speaker power | 2 W | Certification | ErP Lot 6 ErP Lot 26 MIL-STD-810H |
| Built-in microphone | ✓ | | 2 200 0 2.11 200 20 PHE-31D-01011 |
| Number of microphones | 2 | Sustainability | |
| , | | Sustainability compliance | ✓ |
| | | Sustainability certificates | TCO, ENERGY STAR, EPEAT Gold |

| | ารions |
|--|--------|
| | |

 Width
 313.6 mm

 Depth
 219.4 mm

 Height
 16.9 mm

 Weight *
 1.24 kg





197530641244

0197530641244

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.