



LG 49XS2E-B Signage Display Digitale signage flatscreen 124,5 cm (49") IPS 2500 cd/m² Full HD Zwart WebOS 24/7

Merk : LG

Artikelcode: 49XS2E-B

Productnaam : 49XS2E-B

- DVI-poort
- USB-poort
- Ethernet LAN
- PC audio ingang
- RS-232C
- VESA-montage
- Productontwerp - Digitale signage flatscreen
- Ondersteuning voor plaatsing - Binnen/buiten
- Computersysteem

1920 x 1080 Pixels, 124,5 cm (49"), Full HD, Digitale signage flatscreen, Zwart

LG 49XS2E-B. Productontwerp: Digitale signage flatscreen. Beeldscherm diagonaal: 124,5 cm (49"),

Display technologie: IPS, Resolutie: 1920 x 1080 Pixels, Helderheid: 2500 cd/m², HD type: Full HD.

Bedrijfsuren (uren/dagen): 24/7. Inclusief besturingssysteem: WebOS. Kleur van het product: Zwart



Display		Design	
Display diagonal *	124.5 cm (49")	Bezel width (top)	9 mm
Display technology *	IPS	Performance	
Display resolution *	1920 x 1080 pixels	Purpose *	Retail
Display brightness *	2500 cd/m²	Operating hours (hours/days)	24/7
HD type *	Full HD	Power	
Touchscreen *	✗	Power consumption (typical) *	190 W
Native aspect ratio	16:9	AC input voltage	100 - 240 V
Contrast ratio (typical)	1000:1	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical	178°	Computer system *	✓
Panel life	50000 h	Computer system type	System on Chip (SoC)
Supported graphics resolutions	1920 x 1080 (HD 1080)	Operating system installed	WebOS
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Width	1092.8 mm
DVI port *	✓	Depth	83.5 mm
DVI-D ports quantity	1	Height	626.4 mm
DisplayPorts quantity *	2	Weight	21.2 kg
USB port *	✓	Packaging data	
USB ports quantity	1	Package width	1194 mm
Ethernet LAN *	✓	Package depth	175 mm
Ethernet LAN (RJ-45) ports	1	Package height	760 mm
PC Audio in	✓	Package weight	25.7 kg
Number of speaker outputs	1	Packaging content	
RS-232C	✓	Remote control included	✓
Remote (IR) input	1	Batteries included	✓
Audio		Cables included	AC, HDMI
Built-in speaker(s) *	✗	Operational conditions	
Design		Operating temperature (T-T)	0 - 45 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor/outdoor	Certificates	
Orientation	Horizontal/Vertical	Certification	UL / cUL / CB / TUV / FCC Class "A" / CE / KC
Product colour *	Black		
VESA mounting *	✓		
Panel mounting interface	600 x 400 mm		


Design		Logistics data	
Bezel width (bottom)	9 mm	Harmonized System (HS) code	85285210
Bezel width (side)	6.5 mm	Other features	
		Quick start guide	✓




0719192619302



719192619302



8806098167623



8806098345601

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.